HOWDENS











Doors, Joinery and Flooring

Summer 2026

Trusted Trade Quality

Anyone can have Howdens doors, joinery, and flooring products when they are installed with the expertise of the trade. Visit your local depot to get started.

We're here to help at any time throughout your project.

Trustpilot

RATED 4.7 EXCELLENT, MAY 2026

TOP Rated

Look out for our products that have a seal of approval from the trade on quality and durability.

Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews.



Buying Through The Trade

Inspiration At Hand

Get ideas to complete a space at your local depot or nearest Howdens Expo showroom. Find more inspiration on our website.

Product Support

Our depot teams will help you find the right products for your job, and installation guides are available online.

Ready To Fit

Our products are available from local stock and through Click & Collect, so the trade have everything they need to complete the project quickly.



95% of our externally sourced timber products are **FSC® or PEFC certified**

ROAD TO ZERO

UK Manufactured

Almost half of our joinery doors, and all of our skirting and architrave are made in the UK.

UK MANUFACTURED

The Trade Add Value To Your Home

We only sell to the trade, to provide products and a service you can trust.

The trade have the skills and experience to complete tricky tasks such as cutting and jointing awkward angles for a flawless finish.

The trade can customise our products for non-standard fits, providing great value, supported by exclusive trade prices.



Over two-thirds* of property experts surveyed agree that using a tradesperson for major home improvements could add, on average, more than 9% more to the value of your home compared to DIY.



*67% of 531 respondents in the property industry. YouGov online survey (undertaken 26.02.25 -10.03.25). All surveys and data are provided by YouGov PLC. Value increase percentages are based on those respondents opinion only. This is for information only and does not constitute legal or professional advice. Howdens does not accept any responsibility for any loss, liability, damages or otherwise which may arise from reliance on or action taken based on this information. Please see Howdens.com/value for further information.

Cottage Doors Page 4
Classic Doors Page 15
Contemporary Doors Page 30
Room Dividers and Sliding Doors Page 42
Commercial Doors Page 45
Fire Door Guide and Packages Page 50
External Doors Page 53
Door Handles and Furniture Page 56
Skirting and Architrave Page 62
Mouldings and Wall Panelling Page 64
Stair Parts and Joinery Page 70
Laminate Flooring Page 76
Rigid Vinyl Flooring Page 80
Engineered Flooring Page 90

NEW Products Available

We're always busy planning, designing, sourcing and manufacturing new products to provide you with the latest innovations and more choice for every project.

Look out for the NEW icon throughout the brochure for our latest products.



Westgate Engineered Veneer
See page 24



Primed Kingscroft
See page 25



Primed Hartley
See page 39



Hensall Soft Oak
See page 48



Fuller & Forge Orio
See page 58



Primed Heritage Skirting and Architrave
See page 62




Richard Burbidge Purra Stair System
See page 72

Choosing The Right Door

Learn about the different door styles and constructions to find the right design for the job ahead.

Types


Cottage



Provide heritage character with traditional features.

From page 4

Classic



Versatile, panelled styles that offer timeless appeal.

From page 15


Contemporary



Clean, linear designs that enhance modern interiors.

From page 30


Commercial



Simply styled, durably built doors for commercial settings.

From page 45

External




Doors designed for use on the exterior of a property.

From page 53


Standard Door Construction

Moulded and Veneer Moulded




Have either a honeycomb or solid core.

Primed




An engineered solid core with an MDF skin, painted in a white primer.

Softwood




Typically made from pine, ready to paint, stain or varnish.

Hardwood




A real wood veneer* with an engineered core.

Laminate



A semi-solid core and laminated, wood-effect finish.

Flush



A honeycomb, semi-solid or solid core with a simple slab surface.

Finish

Options Explained

We offer a choice of unfinished, pre-finished and primed doors for different budgets, styles, and time available on the job*[1].



Primed



Pre-Finished

Other Considerations

Building Regulations

Building regulations for doors ensure they meet safety, soundproofing, accessibility, fire-resistance, and energy-efficiency standards to protect occupants and maintain building integrity.

The following symbols, used throughout this brochure indicate the availability of doors that conform to each regulation.



Part E



Part M



Fire Rated

When to Fit a Fire Door

In the UK, fire doors must be fitted to meet certain regulations and building safety standards. These can include:

- Buildings with multiple occupancies
- Commercial buildings and non-residential properties
- Staircases and fire escape routes
- Integral garages
- Loft conversions and 3-storey dwellings

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer. | *1 Please refer to Installation, Finishing & Care Instructions

Available From Local Stock, Nationwide

Cottage Doors

Cottage-style doors bring rural charm to the home, with designs reflecting traditional craftsmanship. Timber finishes provide warmth, while white offers a fresh approach.



Dordogne
Page 5



Holdenby
Page 8



Somerford
Page 11



Welby
Page 12



Barn
Page 13



Solid Rustic Oak Ledged
Page 14

Scan to view our Cottage Doors


Featured in main image
Door: Somerford
Ironmongery: Turin Polished Stainless Steel Rose Handle
Joinery: Primed Square MDF Skirting and Architrave, Primed Stripwood
Flooring: Oake & Gray Heritage Oak Basket Weave Luxury Rigid Vinyl

Dordogne

A traditional door, which features a classic tongue and groove pattern.

E Part E M Part M Fire Doors

Finishes



Unfinished White | Primed White | Pre-Finished White | Unfinished Oak* | Pre-Finished Oak*

Smooth Moulded

A smooth moulded skin with a honeycomb or solid core.



Dordogne Smooth Moulded with Newington Dual-Tone Rose Handle

Standard

Size (HxWxT)	Code
1981 x 457 x 35mm	DIC8310 UK F
1981 x 533 x 35mm	DIC8320 UK F
1981 x 610 x 35mm	DIC8330 UK F
1981 x 686 x 35mm	DIC8340 UK F
1981 x 711 x 35mm	DIC8350 UK F
1981 x 762 x 35mm	DIC8360 UK F
1981 x 838 x 35mm	DIC8370 UK F M
2032 x 813 x 35mm	DIC8380 UK F M
2040 x 526 x 40mm	DIM1320 UK F
2040 x 626 x 40mm	DIM1330 UK F
2040 x 726 x 40mm	DIM1340 UK F
2040 x 826 x 40mm	DIM1360 UK F M
2040 x 926 x 40mm	DIM1370 UK F M

Bifold

Size (HxWxT)	Code
1940 x 762 x 35mm	DIP1060 UK F

Frosted Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM3640 UK F
1981 x 762 x 35mm	DGM3660 UK F
1981 x 838 x 35mm	DGM3670 UK F M

Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM1640 UK F
1981 x 762 x 35mm	DGM1660 UK F
1981 x 838 x 35mm	DGM1670 UK F M
2040 x 526 x 40mm	DGM2520 UK F
2040 x 626 x 40mm	DGM2530 UK F
2040 x 726 x 40mm	DGM2540 UK F
2040 x 826 x 40mm	DGM2560 UK F M
2040 x 926 x 40mm	DGM2570 UK F M

44mm FD30 Fire

Size (HxWxT)	Code
1981 x 610 x 44mm	DIF7330 UK P E
1981 x 686 x 44mm	DIF7340 UK P E
1981 x 762 x 44mm	DIF7360 UK P E
1981 x 838 x 44mm	DIF7370 UK P E M
2040 x 626 x 44mm	DFM0930 UK P E
2040 x 726 x 44mm	DFM0940 UK P E
2040 x 826 x 44mm	DFM0960 UK P E M
2040 x 926 x 44mm	DFM0970 UK P E M

35mm FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 35mm	DFM8240 UK F E
1981 x 762 x 35mm	DFM8260 UK F E
1981 x 838 x 35mm	DFM8270 UK F E M

Grained Moulded

A grained moulded skin with a honeycomb or solid core.



Dordogne Grained Moulded with Newington Dual-Tone Rose Handle

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIM0130 UK F
1981 x 686 x 35mm	DIM0140 UK F
1981 x 762 x 35mm	DIM0160 UK F
1981 x 838 x 35mm	DIM0170 UK F M
2040 x 726 x 40mm	DIM0240 UK F
2040 x 826 x 40mm	DIM0260 UK F M

Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM0140 UK F
1981 x 762 x 35mm	DGM0160 UK F
1981 x 838 x 35mm	DGM0170 UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM0140 UK P E
1981 x 762 x 44mm	DFM0160 UK P E
1981 x 838 x 44mm	DFM0170 UK P E M



Grained Finish

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.

UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Available From Local Stock, Nationwide

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed Dordogne Glazed with Serozzetta Azul Dual-Tone Chrome Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR1330	
1981 x 686 x 35mm	DIR1340	
1981 x 762 x 35mm	DIR1360	
1981 x 838 x 35mm	DIR1370	M
2040 x 726 x 40mm	DIR2340	
2040 x 826 x 40mm	DIR2360	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT1340	
1981 x 762 x 35mm	DGT1360	
1981 x 838 x 35mm	DGT1370	M
2040 x 726 x 40mm	DGT2340	
2040 x 826 x 40mm	DGT2360	M

FD30 Fire


Size (HxWxT)	Code	
1981 x 686 x 44mm	DFT1340	
1981 x 762 x 44mm	DFT1360	
1981 x 838 x 44mm	DFT1370	M
2040 x 726 x 44mm	DFT2340	
2040 x 826 x 44mm	DFT2360	M
2040 x 926 x 44mm	DFT2370†	M

Prime time

Primed doors arrive ready for painting, to save time.

TIME SAVING

Primed



Pre-Finished Smooth Moulded

A factory-finished, moulded skin with a honeycomb or solid core.

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE



Pre-Finished Dordogne Smooth Moulded FD30 Fire Glazed with Newington Dual-Tone Chrome Rose Handle

Standard

Size (HxWxT)	Code				
1981 x 457 x 35mm	DIM7410	UK	F		
1981 x 533 x 35mm	DIM7420	UK	F		
1981 x 610 x 35mm	DIM7430	UK	F		
1981 x 686 x 35mm	DIM7440	UK	F		
1981 x 711 x 35mm	DIM7450	UK	F		
1981 x 762 x 35mm	DIM7460	UK	F		
1981 x 838 x 35mm	DIM7470	UK	F	M	
2032 x 813 x 35mm	DIM7480	UK	F	M	
2040 x 626 x 40mm	DIM7530	UK	F		
2040 x 726 x 40mm	DIM7540	UK	F		
2040 x 826 x 40mm	DIM7560	UK	F	M	
2040 x 926 x 40mm	DIM7570	UK	F	M	

Glazed

Size (HxWxT)	Code			
1981 x 610 x 35mm	DGM2030	UK	F	
1981 x 686 x 35mm	DGM7640	UK	F	
1981 x 762 x 35mm	DGM7660	UK	F	
1981 x 838 x 35mm	DGM7670	UK	F	M
2040 x 626 x 40mm	DGM7530	UK	F	
2040 x 726 x 40mm	DGM7540	UK	F	
2040 x 826 x 40mm	DGM7560	UK	F	M
2040 x 926 x 40mm	DGM7570	UK	F	M

Middleweight

Size (HxWxT)	Code			
1981 x 610 x 35mm	DIM7330	UK	F	
1981 x 686 x 35mm	DIM7340	UK	F	
1981 x 762 x 35mm	DIM7360	UK	F	
1981 x 838 x 35mm	DIM7370	UK	F	M

FD30 Fire

Size (HxWxT)	Code				
1981 x 686 x 44mm	DFM7640	UK	P	E	
1981 x 762 x 44mm	DFM7660	UK	P	E	
1981 x 838 x 44mm	DFM7670	UK	P	E	M
2040 x 626 x 44mm	DFM7530	UK	P	E	
2040 x 726 x 44mm	DFM7540	UK	P	E	
2040 x 826 x 44mm	DFM7560	UK	P	E	M
2040 x 926 x 44mm	DFM7570	UK	P	E	M

FD30 Glazed Fire

Size (HxWxT)	Code			
1981 x 686 x 44mm	DFM3840	UK	P	
1981 x 762 x 44mm	DFM3860	UK	P	
1981 x 838 x 44mm	DFM3870	UK	P	M
2040 x 626 x 44mm	DFM3930	UK	P	
2040 x 726 x 44mm	DFM3940	UK	P	
2040 x 826 x 44mm	DFM3960	UK	P	M

Oak Veneer

A real wood veneer* with an engineered core ready for finishing with varnish, stain, or oil.



Dordogne Oak with Fuller & Forge Munch Matt Black Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 381 x 35mm	DIH6600	
1981 x 457 x 35mm	DIH6610	
1981 x 533 x 35mm	DIH6620	
1981 x 610 x 35mm	DIH6630	
1981 x 686 x 35mm	DIH6640	
1981 x 711 x 35mm	DIH6650	
1981 x 762 x 35mm	DIH6660	
1981 x 838 x 35mm	DIH6670	M
2032 x 813 x 35mm	DIH6680	M
2040 x 726 x 40mm	DIH6740	
2040 x 826 x 40mm	DIH6760	M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGH6630	
1981 x 686 x 35mm	DGH6640	
1981 x 762 x 35mm	DGH6660	
1981 x 838 x 35mm	DGH6670	M
2032 x 813 x 35mm	DGH6680	M
2040 x 726 x 40mm	DGH6740	
2040 x 826 x 40mm	DGH6760	M

Genoa Oak Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIE6740	
1981 x 762 x 35mm	DIE6760	
1981 x 838 x 35mm	DIE6770	M
2040 x 726 x 40mm	DGH6840	
2040 x 826 x 40mm	DGH6860	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 610 x 44mm	DIF4130	
1981 x 686 x 44mm	DIF5840	
1981 x 762 x 44mm	DIF5860	
1981 x 838 x 44mm	DIF5870	M
2032 x 813 x 44mm	DIF4180	
2040 x 726 x 44mm	DIF4940	
2040 x 826 x 44mm	DIF4960	M



Deep Grooved Premium Finish

Pre-Finished Oak Veneer

A factory-finished real wood veneer* with an engineered core.



Pre-Finished Dordogne Oak Glazed with Oake & Gray Timeless Oak Luxury Rigid Vinyl Flooring

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIH7210	
1981 x 533 x 35mm	DIH7220	
1981 x 610 x 35mm	DIH7130	
1981 x 686 x 35mm	DIH7140	
1981 x 711 x 35mm	DIH7250	
1981 x 762 x 35mm	DIH7160	
1981 x 838 x 35mm	DIH7170	M
2032 x 813 x 35mm	DIH7280	M
2040 x 626 x 40mm	DIH7230	
2040 x 726 x 40mm	DIH7240	
2040 x 826 x 40mm	DIH7260	M
2040 x 926 x 40mm	DIH7270	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH7140	
1981 x 762 x 35mm	DGH7160	
1981 x 838 x 35mm	DGH7170	M
2040 x 626 x 40mm	DGH7230	
2040 x 726 x 40mm	DGH7240	
2040 x 826 x 40mm	DGH7260	M

Pre-Finished Genoa Oak Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIE8530	
1981 x 686 x 35mm	DIE8540	
1981 x 762 x 35mm	DIE8560	
1981 x 838 x 35mm	DIE8570	M
2040 x 626 x 40mm	DIE9630	
2040 x 726 x 40mm	DIE9640	
2040 x 826 x 40mm	DIE9660	M
2040 x 926 x 40mm	DIE9670	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFC7040	
1981 x 762 x 44mm	DFC7060	
1981 x 838 x 44mm	DFC7070	M
2040 x 626 x 44mm	DFH7230	
2040 x 726 x 44mm	DFH7240	
2040 x 826 x 44mm	DFH7260	M
2040 x 926 x 44mm	DFH7270	M

FD30 Glazed Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFH6940	UK
1981 x 762 x 44mm	DFH6960	UK
1981 x 838 x 44mm	DFH6970	UK M
2040 x 626 x 44mm	DFH6830	UK
2040 x 726 x 44mm	DFH6840	UK
2040 x 826 x 44mm	DFH6860	UK M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
†Subject to availability | **UK** = Manufactured in the UK | **F** = FSC® | **P** = PEFC | **E** = Sound reducing | **M** = Mobility and access

Holdenby

With refined, tongue and groove detail, this door offers a subtle approach to traditional style.

M Part M Fire doors

Finishes



Primed White | Unfinished Oak* | Pre-Finished Oak* | Pre-Finished Grey Oak* | Grey Laminate

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed Holdenby with Newington Satin/Polished Chrome Rose Handle



Primed Holdenby Glazed with Mitred Lecco Polished Stainless Steel Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR3630	
1981 x 686 x 35mm	DIR3640	
1981 x 762 x 35mm	DIR3660	
1981 x 838 x 35mm	DIR3670	M
2040 x 626 x 40mm	DIR3730	
2040 x 726 x 40mm	DIR3740	
2040 x 826 x 40mm	DIR3760	M
2040 x 926 x 40mm	DIR3770	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT3640	
1981 x 762 x 35mm	DGT3660	
1981 x 838 x 35mm	DGT3670	M
2040 x 626 x 40mm	DGT3730	
2040 x 726 x 40mm	DGT3740	
2040 x 826 x 40mm	DGT3760	M
2040 x 926 x 40mm	DGT3770	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFT3640	
1981 x 762 x 44mm	DFT3660	
1981 x 838 x 44mm	DFT3670	M
2040 x 626 x 44mm	DFT3730	
2040 x 726 x 44mm	DFT3740	
2040 x 826 x 44mm	DFT3760	M
2040 x 926 x 44mm	DFT3770	M

TOP Rated

HOLDENBY IS TOP RATED

With an average rating of 4.8 or higher from over 50 trade reviews, these top rated doors are trusted for their quality and durability.

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.



Holdenby Oak with Oake & Gray Vanilla Oak Herringbone Luxury Rigid Vinyl Flooring

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIE6910	
1981 x 533 x 35mm	DIE6920	
1981 x 610 x 35mm	DIE6930	
1981 x 686 x 35mm	DIE6940	
1981 x 711 x 35mm	DIE6950	
1981 x 762 x 35mm	DIE6960	
1981 x 838 x 35mm	DIE6970	M
2032 x 813 x 35mm	DIE6980	M
2040 x 526 x 40mm	DIE6921	
2040 x 626 x 40mm	DIE6931	
2040 x 726 x 40mm	DIE6941	
2040 x 826 x 40mm	DIE6961	M
2040 x 926 x 40mm	DIE6971	M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIE8030	P
1981 x 686 x 35mm	DIE8040	
1981 x 762 x 35mm	DIE8060	
1981 x 838 x 35mm	DIE8070	M
2040 x 526 x 40mm	DIE8120	
2040 x 626 x 40mm	DIE8130	
2040 x 726 x 40mm	DIE8140	
2040 x 826 x 40mm	DIE8160	M
2040 x 926 x 40mm	DIE8170	M

Bifold

Size (HxWxT)	Code
1940 x 686 x 35mm	DIP1549
1940 x 762 x 35mm	DIP1569

Genoa Oak Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIE6740	
1981 x 762 x 35mm	DIE6760	
1981 x 838 x 35mm	DIE6770	M
2040 x 726 x 40mm	DGH6840	
2040 x 826 x 40mm	DGH6860	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF7540	
1981 x 762 x 44mm	DIF7560	
1981 x 838 x 44mm	DIF7570	M
2040 x 626 x 44mm	DIF7531	
2040 x 726 x 44mm	DIF7541	
2040 x 826 x 44mm	DIF7561	M
2040 x 926 x 44mm	DIF7571	M

Everything to complete the job



Trenched Softwood Door Lining
See page 73




Matt Black Slim Mitred Rose Handle
DFU1060

Matt Black Tubular Latch
DFU1061

Matt Black 3" Pattern 1838 Steel Butt Hinge
HNG0056




Primed Double Groove MDF Skirting and Architrave
See page 63



Oake & Gray Vanilla Oak Herringbone Luxury Rigid Vinyl Flooring
See page 84

Ask your local depot for more info



Scan to view our full range of Holdenby doors

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer

P = PEFC | M = Mobility and access | Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews. Information is correct at the time of printing

Pre-Finished Oak Veneer

A factory-finished real wood veneer* in natural oak, with an engineered core. Pre-finished, ready for fitting.



Pre-Finished Holdenby Oak with Fuller & Forge Orta Fluted Matt Black Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIH8810	
1981 x 533 x 35mm	DIH8820	
1981 x 610 x 35mm	DIE8830	
1981 x 686 x 35mm	DIE8840	
1981 x 711 x 35mm	DIH8850	
1981 x 762 x 35mm	DIE8860	
1981 x 838 x 35mm	DIE8870	M
2032 x 813 x 35mm	DIH8880	M
2040 x 626 x 40mm	DIH8830	
2040 x 726 x 40mm	DIH0340	
2040 x 826 x 40mm	DIH0360	M
2040 x 926 x 40mm	DIH8870	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIE9340	
1981 x 762 x 35mm	DIE9360	
1981 x 838 x 35mm	DIE9370	M
2040 x 726 x 40mm	DGH0340	
2040 x 826 x 40mm	DGH0360	M

Pre-Finished Genoa Oak Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIE8530	
1981 x 686 x 35mm	DIE8540	
1981 x 762 x 35mm	DIE8560	
1981 x 838 x 35mm	DIE8570	M
2040 x 626 x 40mm	DIE9630	
2040 x 726 x 40mm	DIE9640	
2040 x 826 x 40mm	DIE9660	M
2040 x 926 x 40mm	DIE9670	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF9140	
1981 x 762 x 44mm	DIF9160	
1981 x 838 x 44mm	DIF9170	M
2040 x 726 x 44mm	DFH8840	
2040 x 826 x 44mm	DFH8860	M

Pre-Finished Grey Oak

A factory-finished real wood veneer*, with an engineered core.



Pre-Finished Holdenby Grey Oak Glazed

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH5030 †	
1981 x 686 x 35mm	DIH5040 †	
1981 x 762 x 35mm	DIH5060 †	
1981 x 838 x 35mm	DIH5070 †	M
2040 x 626 x 40mm	DIH5130 †	
2040 x 926 x 40mm	DIH5170 †	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH5040 †	
1981 x 762 x 35mm	DGH5060 †	
1981 x 838 x 35mm	DGH5070 †	M
2040 x 726 x 40mm	DGH5140 †	
2040 x 826 x 40mm	DGH5160 †	M

Pre-Finished Grey Laminate

A semi-solid core and laminated, wood-effect finish.


Pre-Finished Holdenby Grey Laminate

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIP3230 †
2040 x 626 x 40mm	DIP3330 †

Somerford

Add warmth and charm to any home, with this versatile 2-panel cottage-style door. Available in standard, and fire options, this range can be complemented by our 1-panel shaker glazed.

M Part M Fire doors

Engineered Veneer

Ready for finishing with varnish, stain, or oil.

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIH9030 F
1981 x 686 x 35mm	DIH9040 F
1981 x 762 x 35mm	DIH9060 F
1981 x 838 x 35mm	DIH9070 F M
2040 x 726 x 40mm	DIH9140 F
2040 x 826 x 40mm	DIH9160 F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFH9040 F
1981 x 762 x 44mm	DFH9060 F
1981 x 838 x 44mm	DFH9070 F M



Featured in main image
Door: Somerford Engineered Veneer
Ironmongery: Fuller & Forge Munch Polished Chrome Rose Handle
Joinery: Primed Ogee MDF Skirting and Architrave
Flooring: Oake & Gray Vanilla Oak Herringbone Luxury Rigid Vinyl Flooring

Glazed doors

For a matching glazed door option, Somerford can be paired with the 1 Panel Shaker.

See page 28

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer
†Subject to availability | F = FSC® | M = Mobility and access | Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews. Information is correct at the time of printing

Welby

With an oak-effect finish and lightweight, hollow core on standard doors, Welby provides an on-trend, contemporary cottage-style door for less.

E Part E M Part M

UK MANUFACTURED

EXCLUSIVE TO HOWDENS

Engineered Veneer Moulded

An engineered veneer ready for finishing with varnish, stain or oil.



Featured in main image
Door: Welby Veneer Moulded
Ironmongery: Carlisle Brass Serozzetta Olivier Polished Chrome Rose Handle and Bathroom Turn
Joinery: Primed Stripwood, Primed Ovolo MDF Skirting and Architrave
Flooring: Oake & Gray Heritage Oak Basket Weave Luxury Rigid Vinyl

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIM5530 UK F
1981 x 686 x 35mm	DIM5540 UK F
1981 x 762 x 35mm	DIM5560 UK F
1981 x 838 x 35mm	DIM5570 UK F M
2040 x 726 x 40mm	DIM5640 UK F
2040 x 826 x 40mm	DIM5660 UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM5540 UK P E
1981 x 762 x 44mm	DFM5560 UK P E
1981 x 838 x 44mm	DFM5570 UK P M E

Heritage Oak Basket Weave Luxury Rigid Vinyl Flooring
View on **page 85**
OAKE & GRAY
BEAUTIFUL FLOORING IN A SINGLE CLICK

Barn

The rustic appearance of the ledged and braced construction complements a heritage look. Available primed ready for finishing in your choice of colour, or a pre-finished oak veneer.

M Part M

Finishes

Primed White

Pre-Finished Oak*



Primed Barn with Fuller & Forge Garda Matt Black Backplate Handle

Primed

An engineered solid core with an MDF skin, painted in a white primer.

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR4230	
1981 x 686 x 35mm	DIR4240	
1981 x 762 x 35mm	DIR4260	
1981 x 838 x 35mm	DIR4270	M
2040 x 626 x 40mm	DIR4330	
2040 x 726 x 40mm	DIR4340	
2040 x 826 x 40mm	DIR4360	M
2040 x 926 x 40mm	DIR4370	M

Get the look

Create a feature by pairing our Barn door with our rustic sliding door gear.



GIR3100

Pre-Finished Oak Veneer

A factory-finished real wood veneer* with an engineered core.

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH5530	F
1981 x 686 x 35mm	DIH5540	F
1981 x 762 x 35mm	DIH5560	F
1981 x 838 x 35mm	DIH5570	F M
2040 x 626 x 40mm	DIH5630	F
2040 x 726 x 40mm	DIH5640	F
2040 x 826 x 40mm	DIH5660	F M
2040 x 926 x 40mm	DIH5670	F M

Final finish

Pre-finished doors require no additional*1 painting or varnishing before fitting.

TIME SAVING

Pre-Finished





Pre-Finished Barn Oak with Rustic Sliding Door Gear and Flush Handle

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer. *1 With the exception of any trimmed edges or cut-outs for hardware | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Solid Rustic Oak Ledged

Bring character to a space with these solid oak* doors, ready for finishing with varnish, stain, or oil, that provide an eye-catching feature.

M Part M

Solid Oak Ledged

A solid oak ready for finishing with varnish, stain, or oil.

Standard

Size (HxWxT)	Code
1981 x 610 x 40mm	DIE3430
1981 x 686 x 40mm	DIE3440
1981 x 762 x 40mm	DIE3460
1981 x 838 x 40mm	DIE3470 M



Featured in main image
Door: Solid Rustic Oak Ledged
Ironmongery: Antique Black Suffolk Latch
Joinery: Primed Torus MDF Skirting and Architrave
Flooring: Oake & Gray Ivory Luxury Rigid Vinyl Tiles

Reverse



Antique Black Suffolk Latch

Finishing touches



Complete the rustic look with our Antique Black Suffolk Latch.
See page 57



Pair with our Primed Torus MDF Skirting and Architrave.
See page 63

*Real woods and real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer. Ledges can be engineered from solid oak sections or made from a single solid piece of oak. | M = Mobility and access

Classic Doors

Thanks to the panelled style, our classic door collection delivers timeless decor. With a choice of designs, and moulded or plain frame detail, they enhance a variety of interiors.


Colonial
Page 16


Thruxton
Page 17


Donnington
Page 18


Burford
Page 19


Bridgemere
Page 20


Kennington
Page 21


Elmbridge
Page 22


Rockingham
Page 23



Westgate
Page 24



Kingscroft
Page 25


1930s
Page 26



Boswell
Page 27


1 Panel Shaker
Page 28


Worcester
Page 29

Scan to view our Classic Doors

Featured in main image
Door: Primed Kingscroft Glazed
Ironmongery: Fuller & Forge Orta Fluted Satin Brass Rose Handle
Joinery: Primed Victorian MDF Skirting and Architrave, Paintable Ribbed MDF Wall Panelling

Colonial 6 Panel

Moulded panels and a grained finish provide a timeless look that complements a refined aesthetic.

UK MANUFACTURED

E Part E M Part M Fire Doors

Grained Moulded

A moulded skin with a honeycomb, or solid core.







Standard

Size (HxWxT)	Code	
1981 x 381 x 35mm	DIC0900	UK F
1981 x 457 x 35mm	DIC0910	UK F
1981 x 533 x 35mm	DIC0920	UK F
1981 x 610 x 35mm	DIC0930	UK F
1981 x 686 x 35mm	DIC0940	UK F
1981 x 711 x 35mm	DIC0950	UK F
1981 x 762 x 35mm	DIC0960	UK F
1981 x 838 x 35mm	DIC0970	UK F M
1981 x 864 x 35mm	DIC0990	UK F M
2032 x 813 x 35mm	DIC0980	UK F
2040 x 526 x 40mm	DIC1921	UK F
2040 x 626 x 40mm	DIC1931	UK F
2040 x 726 x 40mm	DIC1941	UK F
2040 x 826 x 40mm	DIC1961	UK F M
2040 x 926 x 40mm	DIC1971	UK F M

Bifold

Size (HxWxT)	Code	
1940 x 686 x 35mm	DIP0140	UK F
1940 x 762 x 35mm	DIP0160	UK F

Developer

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIC3930	UK F
1981 x 686 x 35mm	DIC3940	UK F
1981 x 762 x 35mm	DIC3960	UK F
1981 x 838 x 35mm	DIC3970	UK F M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGM1230	UK F
1981 x 686 x 35mm	DGM1240	UK F
1981 x 762 x 35mm	DGM1260	UK F
1981 x 838 x 35mm	DGM1270	UK F M
2032 x 813 x 35mm	DGM1280	UK F M
2040 x 626 x 40mm	DGM1330 †	UK F
2040 x 726 x 40mm	DGM1340	UK F
2040 x 826 x 40mm	DGM1360	UK F M

35mm FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIF5440	UK F E
1981 x 762 x 35mm	DIF5460	UK F E
1981 x 838 x 35mm	DIF5470	UK F E M
2032 x 813 x 35mm	DIF5480	UK F E M

44mm FD30 Fire

Size (HxWxT)	Code	
1981 x 610 x 44mm	DIF0531	UK P E
1981 x 686 x 44mm	DIF0541	UK P E
1981 x 762 x 44mm	DIF0561	UK P E
1981 x 838 x 44mm	DIF0571	UK P E M
2032 x 813 x 44mm	DIF0580	UK P E M
2040 x 626 x 44mm	DIF0930	UK P E
2040 x 726 x 44mm	DIF0940	UK P E
2040 x 826 x 44mm	DIF0960	UK P E M
2040 x 926 x 44mm	DIF0970	UK P E M

TOP Rated

TOP RATED

Colonial 6 Panel and Thruxton 4 Panel doors are highly rated by the trade.

Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews at the time of printing.

Thruxton 4 Panel

The slender panel design and grained finish provide an ageless style with classic detail.

UK MANUFACTURED

E Part E | M Part M | Fire doors

Grained Moulded

A moulded skin with a honeycomb, or solid core.



Thruxton 4 Panel Grained Moulded Glazed with Oake & Gray Timeless Oak Luxury Rigid Vinyl Flooring



Thruxton 4 Panel Grained Moulded Frosted Glazed



Thruxton 4 Panel Grained Moulded

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIC2010	UK F
1981 x 533 x 35mm	DIC2020	UK F
1981 x 610 x 35mm	DIC2030	UK F
1981 x 686 x 35mm	DIC2040	UK F
1981 x 711 x 35mm	DIC2050	UK F
1981 x 762 x 35mm	DIC2060	UK F
1981 x 838 x 35mm	DIC2070	UK F M
2032 x 813 x 35mm	DIC2080	UK F M
2040 x 526 x 40mm	DIC1821	UK F
2040 x 626 x 40mm	DIC1831	UK F
2040 x 726 x 40mm	DIC1841	UK F
2040 x 826 x 40mm	DIC1861	UK F M
2040 x 926 x 40mm	DIC1871	UK F M

Bifold

Size (HxWxT)	Code	
1940 x 686 x 35mm	DIP0240	UK F
1940 x 762 x 35mm	DIP0260	UK F

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGM3440	UK F
1981 x 762 x 35mm	DGM3460	UK F
1981 x 838 x 35mm	DGM3470	UK F M
2040 x 626 x 40mm	DGM3530	UK F
2040 x 726 x 40mm	DGM3540	UK F
2040 x 826 x 40mm	DGM3560	UK F M
2040 x 926 x 40mm	DGM3570	UK F M

Frosted Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGM2640	UK F
1981 x 762 x 35mm	DGM2660	UK F
1981 x 838 x 35mm	DGM2670	UK F M

44mm FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF0641	UK P E
1981 x 762 x 44mm	DIF0661	UK P E
1981 x 838 x 44mm	DIF0671	UK P E M
2040 x 626 x 44mm	DFM1830	UK P E
2040 x 726 x 44mm	DFM1840	UK P E
2040 x 826 x 44mm	DFM1860	UK P M E
2040 x 926 x 44mm	DFM1870	UK P E M

35mm FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 35mm	DFM0640	UK F E
1981 x 762 x 35mm	DFM0660	UK F E
1981 x 838 x 35mm	DFM0670	UK F E M

†Subject to availability | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access | TOP Rated Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews. Information is correct at the time of printing

Donnington 4 Panel

Thanks to its smooth finish and classic, 4-panel style, this is a versatile door for period and contemporary homes.

UK MANUFACTURED

E Part E M Part M Fire doors

Smooth Moulded

A moulded skin with a honeycomb, or solid core.



Donnington 4 Panel Smooth Moulded Glazed with Newington Matt Black Rose Handle



Donnington 4 Panel Smooth Moulded

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIC7410 †	UK F
1981 x 533 x 35mm	DIC7420	UK F
1981 x 610 x 35mm	DIC7430	UK F
1981 x 686 x 35mm	DIC7440	UK F
1981 x 762 x 35mm	DIC7460	UK F
1981 x 838 x 35mm	DIC7470	UK F M
2032 x 813 x 35mm	DIC7480	UK F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGM2740	UK F
1981 x 762 x 35mm	DGM2760	UK F
1981 x 838 x 35mm	DGM2770	UK F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF2940	UK P E
1981 x 762 x 44mm	DIF2960	UK P E
1981 x 838 x 44mm	DIF2970	UK P E M

OAKE & GRAY
BEAUTIFUL FLOORING IN A SINGLE CLICK
Nature Oak Herringbone Luxury Rigid Vinyl Flooring

View the full range on **page 84**

Burford 4 Panel

Simply styled with straight-edged panels, these moulded doors add subtle character to a pared-back theme.

UK MANUFACTURED

(E) Part E (M) Part M Fire doors

Smooth Moulded

A moulded skin with a honeycomb, or solid core.



Burford 4 Panel Smooth Moulded Glazed with JigTech Sofia Polished Chrome Latch Pack



Burford 4 Panel Smooth Moulded

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIC9830	UK F
1981 x 686 x 35mm	DIC9840	UK F
1981 x 762 x 35mm	DIC9860	UK F
1981 x 838 x 35mm	DIC9870	UK F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIC9140	UK F
1981 x 762 x 35mm	DIC9160	UK F
1981 x 838 x 35mm	DIC9170	UK F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF2640	UK P E
1981 x 762 x 44mm	DIF2660	UK P E
1981 x 838 x 44mm	DIF2670	UK P E M

A match made in Howdens



Burford Rose Handle, Primed Burford MDF Skirting and Architrave are designed to compliment our Burford doors.

See pages 56 and 63

†Subject to availability | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Available From Local Stock, Nationwide

Bridgemere 4 Panel

Complementing our Bridgemere kitchens and bedrooms in a beaded shaker style, these doors provide a sophisticated aesthetic.

UK MANUFACTURED

M Part M Fire doors

Smooth Moulded

A moulded skin with a honeycomb, or solid core.



Bridgemere 4 Panel Smooth Moulded Glazed with Oake & Gray Golden Oak XL Luxury Rigid Vinyl Flooring



Bridgemere 4 Panel Smooth Moulded

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIM0330	UK F
1981 x 686 x 35mm	DIM0340	UK F
1981 x 762 x 35mm	DIM0360	UK F
1981 x 838 x 35mm	DIM0370	UK F M
2040 x 726 x 40mm	DIM0440	UK F
2040 x 826 x 40mm	DIM0460	UK F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGM0340	UK F
1981 x 762 x 35mm	DGM0360	UK F
1981 x 838 x 35mm	DGM0370	UK F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFM0340	UK P E
1981 x 762 x 44mm	DFM0360	UK P E
1981 x 838 x 44mm	DFM0370	UK P M E



Beaded Profile

Kitchen inspired

Create a co-ordinated look with our Bridgemere kitchen.



Bridgemere Porcelain

Kennington 4 Panel

Kennington's 4-panel design and lightweight, hollow core construction on standard doors, provide a classic, oak-effect door for less.

UK MANUFACTURED

E Part E M Part M Fire doors

Engineered Veneer Moulded

An engineered veneer, ready for finishing with varnish, stain, or oil.



Kennington 4 Panel Veneer Moulded with Fuller & Forge Manet Satin Nickel Rose Handle



Engineered Veneer

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIM5730	UK F
1981 x 686 x 35mm	DIM5740	UK F
1981 x 762 x 35mm	DIM5760	UK F
1981 x 838 x 35mm	DIM5770	UK F M
2040 x 726 x 40mm	DIM5840	UK F
2040 x 826 x 40mm	DIM5860	UK F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFM5740	UK P E
1981 x 762 x 44mm	DFM5760	UK P E
1981 x 838 x 44mm	DFM5770	UK P M E

UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Everything to complete the job




Trenched Softwood Door Lining
See page 73



Fuller & Forge Manet Satin Nickel Rose Handle
See page 59



Primed Lambs Tongue MDF Skirting and Architrave
See page 63



Primed Stripwood
See page 65




Ask your local depot for more info

Elmbridge

The classic stile and rail design, and decorative beaded frame match our Elmbridge kitchen to create a uniform look.

M Part M Fire doors



Beaded Profile

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed

Primed Elmbridge with Fuller & Forge Polished Chrome Beehive Knob



Primed

Primed Elmbridge Glazed

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR0330	
1981 x 686 x 35mm	DIR0340	
1981 x 762 x 35mm	DIR0360	
1981 x 838 x 35mm	DIR0370	M
2040 x 726 x 40mm	DIR0440	
2040 x 826 x 40mm	DIR0460	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT0340	
1981 x 762 x 35mm	DGT0360	
1981 x 838 x 35mm	DGT0370	M
2040 x 726 x 40mm	DGT0440	
2040 x 826 x 40mm	DGT0460	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFT0340	
1981 x 762 x 44mm	DFT0360	
1981 x 838 x 44mm	DFT0370	M
2040 x 726 x 44mm	DFT0440	
2040 x 826 x 44mm	DFT0460	M

A match made in Howdens

Finish the room with our Primed Elmbridge MDF Skirting and Architrave.




See page 63

Rockingham 4 Panel Oak

Featuring an oak veneer, solid oak raised beading, and an engineered core, this door has a warm appearance and classic style.

M Part M Fire doors


Beaded Profile

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.


Rockingham 4 Panel Oak with Mitred Lecco Antique Brass Rose Handle


Rockingham 4 Panel Oak Glazed

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIE4030	
1981 x 686 x 35mm	DIE4040	
1981 x 762 x 35mm	DIE4060	
1981 x 838 x 35mm	DIE4070	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIE4140	
1981 x 762 x 35mm	DIE4160	
1981 x 838 x 35mm	DIE4170	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFD4040	
1981 x 762 x 44mm	DFD4060	
1981 x 838 x 44mm	DFD4070	M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer. | M = Mobility and access


NEW Westgate

This refined, three-panel oak door brings organic warmth to an interior. Subtle layering on the stepped centre panel creates a simple, crafted look.

M Part M

Engineered Veneer

Ready for finishing with varnish, stain, or oil.





Featured in main image
Door: Westgate Engineered Veener
Ironmongery: Fuller & Forge Arno Antique Brass Backplate Handle
Joinery: Primed Torus MDF Skirting and Architrave, Primed Tongue and Groove Wall Panelling
Flooring: Oake & Gray Timeless Oak Herringbone Luxury Rigid Vinyl Flooring

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH1030	F
1981 x 686 x 35mm	DIH1040	F
1981 x 762 x 35mm	DIH1060	F
1981 x 838 x 35mm	DIH1070	F M
2040 x 726 x 40mm	DIH1140	F
2040 x 826 x 40mm	DIH1160	F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH1040	F
1981 x 762 x 35mm	DGH1060	F
1981 x 838 x 35mm	DGH1070	F M

Fuller & Forge
UNLOCK MORE




Arno Antique Brass Backplate Handle
See page 59

NEW Kingscroft

A timeless, six-panel door with subtle stepped detail on the panels that adds heritage character to a room. The smooth, white primed finish is ready for personalisation.

M Part M



Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed Kingscroft with Oake & Gray Basket Weave Luxury Rigid Vinyl



Primed Kingscroft Glazed with Fuller & Forge Orta Fluted Satin Brass Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR4830	F
1981 x 686 x 35mm	DIR4840	F
1981 x 762 x 35mm	DIR4860	F
1981 x 838 x 35mm	DIR4870	F M
2040 x 726 x 40mm	DIR4940	F
2040 x 826 x 40mm	DIR4960	F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT4840	F
1981 x 762 x 35mm	DGT4860	F
1981 x 838 x 35mm	DGT4870	F M

F = FSC® | M = Mobility and access

Heritage Oak Basket Weave Luxury Rigid Vinyl Flooring
View on **page 85**

OAKE & GRAY
BEAUTIFUL FLOORING IN A SINGLE CLICK

1930s

Made in the 1930s style, with both solid and glazed options, these doors add a nostalgic feel to a home, and enhance a number of interior themes.

M Part M

Finishes

Primed White | Unfinished Oak*

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed 1930s with Fuller & Forge Tanaro Satin Brass Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR0530	
1981 x 686 x 35mm	DIR0540	
1981 x 762 x 35mm	DIR0560	
1981 x 838 x 35mm	DIR0570	M
2040 x 726 x 40mm	DIR0640	
2040 x 826 x 40mm	DIR0660	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT0540	
1981 x 762 x 35mm	DGT0560	
1981 x 838 x 35mm	DGT0570	M

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.



Oak 1930s Glazed with Lecco Polished Stainless Steel Rose Handle

Standard

Size (HxWxT)	Code		
1981 x 610 x 35mm	DIH3530	F	
1981 x 686 x 35mm	DIH3540	F	
1981 x 762 x 35mm	DIH3560	F	
1981 x 838 x 35mm	DIH3570	F	M
2040 x 726 x 40mm	DIH3640	F	
2040 x 826 x 40mm	DIH3660	F	M

Glazed

Size (HxWxT)	Code		
1981 x 686 x 35mm	DGH3540	F	
1981 x 762 x 35mm	DGH3560	F	
1981 x 838 x 35mm	DGH3570	F	M

NEW Boswell Ribbed

Featuring a contemporary, ribbed centre panel, this door adds textural detail to modern interiors. Supplied primed, ready for finishing in any colour.

M Part M

Primed

An engineered solid core with an MDF skin, painted in white.



Boswell Ribbed with Fuller & Forge Runda Antique Brass Rose Handle

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIR4430 F
1981 x 686 x 35mm	DIR4440 F
1981 x 762 x 35mm	DIR4460 F
1981 x 838 x 35mm	DIR4470 F M
2040 x 726 x 40mm	DIR4540 F
2040 x 826 x 40mm	DIR4560 F M

Primed for Colour

Ready for finishing in your choice of colour.

Primed









*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
F = FSC® | M = Mobility and access

Available From Local Stock, Nationwide

1 Panel Shaker

Thanks to its smooth finish and timeless, 1-panel style, this is a versatile door for period, and contemporary homes.

M Part M Fire doors

Finishes

Primed White Unfinished Oak*

Primed

An engineered solid core with an MDF skin, painted in a white primer.



1 Panel Shaker Primed with Fuller & Forge Munch Matt Black Rose Handle

Engineered Veneer

Ready for finishing with varnish, stain, or oil.



1 Panel Shaker Glazed with Oake & Gray Graphite Luxury Rigid Vinyl Tile Flooring

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIR3430
1981 x 686 x 35mm	DIR3440
1981 x 762 x 35mm	DIR3460
1981 x 838 x 35mm	DIR3470 M
2040 x 726 x 40mm	DIR3540
2040 x 826 x 40mm	DIR3560 M

Glazed

Size (HxWxT)	Code
1981 x 610 x 35mm	DGT1930
1981 x 686 x 35mm	DGT1940
1981 x 762 x 35mm	DGT1960
1981 x 838 x 35mm	DGT1970 M
2040 x 726 x 40mm	DGT2940
2040 x 826 x 40mm	DGT2960 M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFT3440
1981 x 762 x 44mm	DFT3460
1981 x 838 x 44mm	DFT3470 M

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIH3030 F
1981 x 686 x 35mm	DIH3040 F
1981 x 762 x 35mm	DIH3060 F
1981 x 838 x 35mm	DIH3070 F M
2040 x 726 x 40mm	DIH3140 F
2040 x 826 x 40mm	DIH3160 F M

Glazed

Size (HxWxT)	Code
1981 x 610 x 35mm	DGH3030 F
1981 x 686 x 35mm	DGH3040 F
1981 x 762 x 35mm	DGH3060 F
1981 x 838 x 35mm	DGH3070 F M
2040 x 726 x 40mm	DGH3140 F
2040 x 826 x 40mm	DGH3160 F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFH3040 F
1981 x 762 x 44mm	DFH3060 F
1981 x 838 x 44mm	DFH3070 F M

Worcester Oak

With tall, vertical, recessed panels separated by slender bars, our Worcester doors provide a simple linear look.

M Part M Fire doors

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.



Worcester Oak with Fuller & Forge Garda Polished Chrome Rose Handle





Worcester Oak Glazed with Lecco Satin Stainless Steel Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIC6430	
1981 x 686 x 35mm	DIC6440	
1981 x 762 x 35mm	DIC6460	
1981 x 838 x 35mm	DIC6470	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIC6540	
1981 x 762 x 35mm	DIC6560	
1981 x 838 x 35mm	DIC6570	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF6540	
1981 x 762 x 44mm	DIF6560	
1981 x 838 x 44mm	DIF6570	M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
F = FSC® | M = Mobility and access

Contemporary Doors

Complete a modern interior with doors that feature clean lines and on-trend finishes. A choice of pre-finished, unfinished, and primed styles offers added personalisation.



Linear
Page 31



Daytona
Page 32



Nuovo
Page 35



4 Panel Shaker
Page 36



Hartley
Page 39



Lennox
Page 40



Fairfax
Page 41

Scan to view our Contemporary Doors

Featured in main image
Door: Pre-Finished Fairfax Black
Ironmongery: Matt Black Slim Mitred Rose Handle and Matt Black 108mm Latch
Joinery: Halesworth Oak Acoustic Wall Panelling, Primed Double Groove MDF Skirting and Architrave
Flooring: Karndean Korlok Texas White Ash Herringbone Luxury Rigid Vinyl

Linear

This simple, 5-panel design creates a subtle, geometric look that works well in interiors inspired by minimal aesthetics.

E Part E | M Part M | Fire doors

Finishes

Unfinished White | Pre-Finished White

UK MANUFACTURED

Smooth Moulded

A moulded skin with a honeycomb, or solid core.



Linear Smooth Moulded with Oake & Gray Warm Oak Herringbone Luxury Rigid Vinyl Flooring

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIM1430 UK F
1981 x 686 x 35mm	DIM1440 UK F
1981 x 762 x 35mm	DIM1460 UK F
1981 x 838 x 35mm	DIM1470 UK F M
2040 x 626 x 40mm	DIM2130 UK F
2040 x 726 x 40mm	DIM2140 UK F
2040 x 826 x 40mm	DIM2160 UK F M
2040 x 926 x 40mm	DIM2170 UK F M

Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM2140 UK F
1981 x 762 x 35mm	DGM2160 UK F
1981 x 838 x 35mm	DGM2170 UK F M
2040 x 726 x 40mm	DGM3040 UK F
2040 x 826 x 40mm	DGM3060† UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM1440 UK P E
1981 x 762 x 44mm	DFM1460 UK P E
1981 x 838 x 44mm	DFM1470 UK P E M
2040 x 726 x 44mm	DFM2140 UK P E
2040 x 826 x 44mm	DFM2160 UK P E M

Pre-Finished Smooth Moulded

A factory-finished, moulded skin with a honeycomb, or solid core.

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE



Linear Pre-Finished Smooth Moulded with Fuller & Forge Polished Chrome Munch Rose Handle

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIM7230 UK F
1981 x 686 x 35mm	DIM7240 UK F
1981 x 762 x 35mm	DIM7260 UK F
1981 x 838 x 35mm	DIM7270 UK F M
2040 x 726 x 40mm	DIM4140 UK F
2040 x 826 x 40mm	DIM4160 UK F M

Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM7240 UK F
1981 x 762 x 35mm	DGM7260 UK F
1981 x 838 x 35mm	DGM7270 UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM7240 UK P E
1981 x 762 x 44mm	DFM7260 UK P E
1981 x 838 x 44mm	DFM7270 UK P M E
2040 x 726 x 44mm	DFM4140 UK P E
2040 x 826 x 44mm	DFM4160 UK P M E

†Subject to availability | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Available From Local Stock, Nationwide

Daytona

With 5 flush central panels bordered by two vertical bars, this sleek style comes in a choice of finishes to complement any interior.

M Part M Fire doors

Finishes



Primed White | Unfinished Oak* | Pre-Finished Oak* | Walnut Laminate | Grey Laminate

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed Daytona

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR4030	
1981 x 686 x 35mm	DIR4040	
1981 x 762 x 35mm	DIR4060	
1981 x 838 x 35mm	DIR4070	M
2040 x 626 x 40mm	DIR4130	
2040 x 726 x 40mm	DIR4140	
2040 x 826 x 40mm	DIR4160	M
2040 x 926 x 40mm	DIR4170	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT4040	
1981 x 762 x 35mm	DGT4060	
1981 x 838 x 35mm	DGT4070	M
2040 x 726 x 40mm	DGT4140	
2040 x 826 x 40mm	DGT4160	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFT4040	
1981 x 762 x 44mm	DFT4060	
1981 x 838 x 44mm	DFT4070	M
2040 x 726 x 44mm	DFT4140	
2040 x 826 x 44mm	DFT4160	M

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.



Daytona Oak

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIH0710	
1981 x 533 x 35mm	DIH0720	
1981 x 610 x 35mm	DIH0730	
1981 x 686 x 35mm	DIH0740	
1981 x 711 x 35mm	DIH0750	
1981 x 762 x 35mm	DIH0760	
1981 x 838 x 35mm	DIH0770	M
2032 x 813 x 35mm	DIH0780	M
2040 x 626 x 40mm	DIH0830	
2040 x 726 x 40mm	DIH0840	
2040 x 826 x 40mm	DIH0860	M
2040 x 926 x 40mm	DIH0870	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH0740	
1981 x 762 x 35mm	DGH0760	
1981 x 838 x 35mm	DGH0770	M
2040 x 626 x 40mm	DGH0830	
2040 x 726 x 40mm	DGH0840	
2040 x 826 x 40mm	DGH0860	M
2040 x 926 x 40mm	DGH0870	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFH0740	
1981 x 762 x 44mm	DFH0760	
1981 x 838 x 44mm	DFH0770	M
2040 x 626 x 44mm	DFH0830	
2040 x 726 x 44mm	DFH0840	
2040 x 826 x 44mm	DFH0860	M
2040 x 926 x 44mm	DFH0870	M

Pre-Finished Oak Veneer

A factory-finished real wood veneer* with an engineered core.



Pre-Finished Daytona Oak Glazed with Fuller & Forge Munch Matt Black Latch Handle

Standard

Size (HxWxT)	Code	
1981 x 457 x 35mm	DIH5210 †	
1981 x 533 x 35mm	DIH5220	
1981 x 610 x 35mm	DIH5230	
1981 x 686 x 35mm	DIH5240	
1981 x 762 x 35mm	DIH5260	
1981 x 838 x 35mm	DIH5270	M
2040 x 726 x 40mm	DIH5340	
2040 x 826 x 40mm	DIH5360	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH5240	
1981 x 762 x 35mm	DGH5260	
1981 x 838 x 35mm	DGH5270	M
2040 x 726 x 40mm	DGH5340	
2040 x 826 x 40mm	DGH5360	M


FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFH5240	
1981 x 762 x 44mm	DFH5260	
1981 x 838 x 44mm	DFH5270	M
2040 x 726 x 44mm	DFH5340	
2040 x 826 x 44mm	DFH5360	M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer
†Subject to availability | M = Mobility and access

Get the look

Create a feature wall design using stripwood mouldings.



Scan to view our stripwood mouldings

Fuller & Forge
UNLOCK MORE

Enhance an interior with ironmongery that leaves a lasting impression

See page 58

FULLER & FORGE 30 YEARS MECHANICAL GUARANTEE

Pre-Finished Walnut Laminate

A semi-solid core and laminated, wood-effect finish.



Daytona Walnut Laminate Glazed with Carlisle Brass Trend Dual-tone Chrome Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIP3530	
1981 x 686 x 35mm	DIP3540	
1981 x 762 x 35mm	DIP3560	
1981 x 838 x 35mm	DIP3570	M
2040 x 626 x 40mm	DIP3630 †	
2040 x 826 x 40mm	DIP3660 †	M
2040 x 926 x 40mm	DIP3670 †	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGP3540	
1981 x 762 x 35mm	DGP3560	
1981 x 838 x 35mm	DGP3570	M
2040 x 726 x 40mm	DGP3640 †	

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFP3540	
1981 x 762 x 44mm	DFP3560	
1981 x 838 x 44mm	DFP3570	M
2040 x 726 x 44mm	DFP3640 †	
2040 x 826 x 44mm	DFP3660 †	M

Pre-Finished Grey Laminate

A semi-solid core and laminated, wood-effect finish.



Daytona Grey Laminate with Oake & Gray Ivory Luxury Rigid Vinyl Tile Flooring

Standard

Size (HxWxT)	Code	
1981 x 533 x 35mm	DIP3020 †	
1981 x 610 x 35mm	DIP3030	
1981 x 686 x 35mm	DIP3040	
1981 x 711 x 35mm	DIP3050 †	
1981 x 762 x 35mm	DIP3060	
1981 x 838 x 35mm	DIP3070	M
2032 x 813 x 35mm	DIP3080 †	
2040 x 626 x 40mm	DIP3130 †	
2040 x 726 x 40mm	DIP3140	
2040 x 826 x 40mm	DIP3160	M
2040 x 926 x 40mm	DIP3170 †	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGP3040	
1981 x 762 x 35mm	DGP3060	
1981 x 838 x 35mm	DGP3070	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFP3040	
1981 x 762 x 44mm	DFP3060	
1981 x 838 x 44mm	DFP3070	M

Nuovo

Create a high-end finish with our Nuovo doors, available in standard, fire, and glazed. With clean lines and an engineered veneer, this 10-panel design will suit a variety of decorative styles.

M Part M Fire doors

Engineered Veneer

Ready for finishing with varnish, stain or oil.



Nuovo Engineered Veneer with Runda Matt Black Handle and Oake & Gray Vanilla Oak XL Luxury Rigid Vinyl Flooring



Nuovo Engineered Veneer Glazed

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH4230	F
1981 x 686 x 35mm	DIH4240	F
1981 x 762 x 35mm	DIH4260	F
1981 x 838 x 35mm	DIH4270	F M
2040 x 726 x 40mm	DIH4340	F
2040 x 826 x 40mm	DIH4360	F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH4240	F
1981 x 762 x 35mm	DGH4260	F
1981 x 838 x 35mm	DGH4270	F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFH4240	F
1981 x 762 x 44mm	DFH4260	F
1981 x 838 x 44mm	DFH4270	F M

†Subject to availability | F = FSC® | M = Mobility and access

Get the look

Create a feature wall design using Paintable Reeded MDF Wall Panelling.



See page 66 or scan to view our wall panelling for inspiration

4 Panel Shaker

The enduring appearance of this square-edged, 4-panel door makes it a versatile choice for any space.

E Part E M Part M Fire doors

Finishes



Unfinished White | Pre-Finished White | Primed White | Unfinished Oak* | Pre-Finished Oak*

Smooth Moulded

A moulded skin with a honeycomb, or solid core.

UK MANUFACTURED



4 Panel Shaker Smooth Moulded Glazed

Standard

Size (HxWxT)	Code
1981 x 533 x 35mm	DIM1020 UK F
1981 x 610 x 35mm	DIM1030 UK F
1981 x 686 x 35mm	DIM1040 UK F
1981 x 711 x 35mm	DIM1050 UK F
1981 x 762 x 35mm	DIM1060 UK F
1981 x 838 x 35mm	DIM1070 UK F M
2032 x 813 x 35mm	DIM1080 UK F M
2040 x 626 x 40mm	DIM1130 UK F
2040 x 726 x 40mm	DIM1140 UK F
2040 x 826 x 40mm	DIM1160 UK F M
2040 x 926 x 40mm	DIM1170 UK F M

Glazed

Size (HxWxT)	Code
1981 x 686 x 35mm	DGM1840 UK F
1981 x 762 x 35mm	DGM1860 UK F
1981 x 838 x 35mm	DGM1870 UK F M
2040 x 726 x 40mm	DGM2940 UK F
2040 x 826 x 40mm	DGM2960 UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM1040 UK P E
1981 x 762 x 44mm	DFM1060 UK P E
1981 x 838 x 44mm	DFM1070 UK P M E
2040 x 626 x 44mm	DFM1130† UK P E
2040 x 726 x 44mm	DFM1140 UK P E
2040 x 826 x 44mm	DFM1160 UK P M E
2040 x 926 x 44mm	DFM1170† UK P M E

Pre-Finished Smooth Moulded

A factory-finished, moulded skin with a honeycomb, or solid core.

UK MANUFACTURED

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE



Pre-Finished 4 Panel Shaker Smooth Moulded with Pocket Door System

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIM0730 UK F
1981 x 686 x 35mm	DIM0740 UK F
1981 x 762 x 35mm	DIM0760 UK F
1981 x 838 x 35mm	DIM0770 UK F M
2040 x 626 x 40mm	DIM0830† UK F
2040 x 726 x 40mm	DIM0840 UK F
2040 x 826 x 40mm	DIM0860 UK F M
2040 x 926 x 40mm	DIM0870† UK F M

Glazed

Size (HxWxT)	Code
1981 x 610 x 35mm	DGM0730 UK F
1981 x 686 x 35mm	DGM0740 UK F
1981 x 762 x 35mm	DGM0760 UK F
1981 x 838 x 35mm	DGM0770 UK F M
2040 x 626 x 40mm	DGM0731† UK F
2040 x 726 x 40mm	DGM0741 UK F
2040 x 826 x 40mm	DGM0761 UK F M
2040 x 926 x 40mm	DGM0771† UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFM0740 UK P E
1981 x 762 x 44mm	DFM0760 UK P E
1981 x 838 x 44mm	DFM0770 UK P E M
2040 x 626 x 44mm	DFM0731† UK P E
2040 x 726 x 44mm	DFM0741 UK P E
2040 x 826 x 44mm	DFM0761 UK P E M
2040 x 926 x 44mm	DFM0771† UK P E M

Primed

An engineered solid core with an MDF skin, painted in a white primer.



Primed 4 Panel Shaker Frosted Glazed with Turin Matt Black Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR1230	
1981 x 686 x 35mm	DIR1240	
1981 x 762 x 35mm	DIR1260	
1981 x 838 x 35mm	DIR1270	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT1240	
1981 x 762 x 35mm	DGT1260	
1981 x 838 x 35mm	DGT1270	M

Frosted Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT0140	F
1981 x 762 x 35mm	DGT0160	F
1981 x 838 x 35mm	DGT0170	F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF8340	
1981 x 762 x 44mm	DIF8360	
1981 x 838 x 44mm	DIF8370	M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
†Subject to availability | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Available From Local Stock, Nationwide

Oak Veneer

A real wood veneer* with an engineered core, ready for finishing with varnish, stain, or oil.



4 Panel Shaker Oak Glazed with Fuller & Forge Munch Matt Black Backplate Latch Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIE5130	
1981 x 686 x 35mm	DIE5140	
1981 x 762 x 35mm	DIE5160	
1981 x 838 x 35mm	DIE5170	M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGH0640	F
1981 x 762 x 35mm	DGH0660	
1981 x 838 x 35mm	DGH0670	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DIF7440	
1981 x 762 x 44mm	DIF7460	
1981 x 838 x 44mm	DIF7470	M

Pre-Finished Oak Veneer

A factory-finished real wood veneer* with an engineered core.

Howdens Pre-Finished 5 Years Door Guarantee



4 Panel Shaker Pre-Finished Oak with Lecco Polished Stainless Steel Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH0530	
1981 x 686 x 35mm	DIH0540	
1981 x 762 x 35mm	DIH0560	
1981 x 838 x 35mm	DIH0570	M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGH0530	
1981 x 686 x 35mm	DGH0540	
1981 x 762 x 35mm	DGH0560	
1981 x 838 x 35mm	DGH0570	M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFH0540	
1981 x 762 x 44mm	DFH0560	
1981 x 838 x 44mm	DFH0570	M

NEW Hartley

An understated design that provides a modern look. This simple, three-panel door is primed, ready for finishing to complement the interior.

M Part M

Primed


An engineered solid core with an MDF skin painted in a white primer.



Primed Hartley Glazed with Satin Stainless Steel Slim Mitred Rose Handle

Complementary Hardware

Use Slim Mitred Rose handles with our Hartley doors



See page 56



Primed Hartley with Matt Black Slim Mitred Rose Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIR4630	F
1981 x 686 x 35mm	DIR4640	F
1981 x 762 x 35mm	DIR4660	F
1981 x 838 x 35mm	DIR4670	F M
2040 x 726 x 40mm	DIR4740	F
2040 x 826 x 40mm	DIR4760	F M

Glazed

Size (HxWxT)	Code	
1981 x 686 x 35mm	DGT4640	F
1981 x 762 x 35mm	DGT4660	F
1981 x 838 x 35mm	DGT4670	F M

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
F = FSC® | M = Mobility and access

Lennox

With 5 panels defined by slim horizontal bars, this contemporary design in a smooth, pre-finished black will add sophistication to a room.


Part M

Pre-Finished Hardwood

A factory-finished black painted door with an engineered core.



Lennox Black Reeded Glazed with Cranked Matt Black Handle


Reeded Glazing



Lennox Black Glazed



Lennox Black with Oake & Gray Vanilla Oak XL Luxury Rigid Vinyl Flooring

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH2030	
1981 x 686 x 35mm	DIH2040	
1981 x 762 x 35mm	DIH2060	
1981 x 838 x 35mm	DIH2070	M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGH0930	
1981 x 686 x 35mm	DGH0940	
1981 x 762 x 35mm	DGH0960	
1981 x 838 x 35mm	DGH0970	M

Reeded Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGH7530	F
1981 x 686 x 35mm	DGH7540	F
1981 x 762 x 35mm	DGH7560	F
1981 x 838 x 35mm	DGH7570	F M

Complete the look

Choose Cranked or Slim Mitred Rose Handles to fit the narrow stiles on Lennox Glazed doors.



Black Cranked Handle - Single **DFU1053**
Black Cranked Handle - Pair **DFU1055**
Adjustable Roller Catch **DFU1051**
Slim Mitred Rose Handle **DFU1060**
Euro Escutcheon **DFU1063**
Bathroom Turn **DFU1062**

Fairfax

Supplied in a smooth, pre-finished black, with a striking geometric design, this door is a modern and impactful style that will add a touch of drama to a space.

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE

M Part M

Pre-Finished Hardwood

A factory-finished black painted door with an engineered core.



Pre-Finished Fairfax Black Glazed with Oake & Gray Timeless Oak Luxury Rigid Vinyl Flooring



Pre-Finished Fairfax Black with Matt Black Slim Mitred Handle

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIH4130	F
1981 x 686 x 35mm	DIH4140	F
1981 x 762 x 35mm	DIH4160	F
1981 x 838 x 35mm	DIH4170	F M

Glazed

Size (HxWxT)	Code	
1981 x 610 x 35mm	DGH4130	F
1981 x 686 x 35mm	DGH4140	F
1981 x 762 x 35mm	DGH4160	F
1981 x 838 x 35mm	DGH4170	F M

F = FSC® | M = Mobility and access

Edge finishing paint

Finish the trimmed edges on all black pre-finished doors for a neat look using this black paint.

GAR0560



Available From Local Stock, Nationwide

Room Dividers And Sliding Doors

Use our flexible solutions to create a versatile living space that can be reconfigured for different needs to maximise space.




Featured in main image
Door: Genoa Oak Glazed
Ironmongery: Burford Satin Stainless Steel Rose Handle

Roomflex Pro

Install folding doors using Roomflex Pro - an innovative system available in 5 configurations to suit various internal set-ups. Simply choose the door and handles to match the interior.

Hardware Pack Contents



Roomflex Pro 3 + 1 Configuration

1 Top Pivot

2 Apron Plate and Hanger

3 Track


4 Hinge

5 Bottom Pivot

6 Flush Bolt

Configurations

Roomflex Pro hardware packs are available in a variety of configurations.



Door Config.	Max. Door Height	Max. Door Width	Door Thickness	Max. Door Weight	Code
2 + 1	2040mm	838mm	35-44mm	40kg	GIR9993
3	2040mm	838mm	35-44mm	40kg	GIR9994
3 + 1	2040mm	838mm	35-44mm	40kg	GIR9995
3 + 2	2040mm	838mm	35-44mm	40kg	GIR9996
3 + 3	2040mm	838mm	35-44mm	40kg	GIR9997

Make Any Internal Door A Sliding Door

Use our Double Top Sliding Door Gear for various applications around the home, such as wardrobe and cupboard doors, and room dividers.

This quiet system uses nylon hangers and an aluminium track to support doors weighing up to 45kg, and 16-40mm thick. Door heights can be adjusted easily, and a floor guide is an optional extra. Fitting kits are available for additional doors.

Double Top Sliding Door Gear

Size (L)	Max. Door Weight	Code
1.5m	45kg	GIR3010 UK
2.4m	45kg	GIR3011 UK

1 Track and Door Hangers



2 Sliding Door Handles

Sold separately



Matt Black	GIR3034
Polished Chrome	GIR3032
Polished Brass	GIR3033
Satin Nickel	GIR3031

3 Floor Channel



4 Nylon Guides



5 Door Stop





Internal Sliding Doors

NEW Scrigno Upgraded Pocket Door Kit

This pre-assembled system replaces traditional studwork for faster installation. It features smooth, quiet operation with optional soft-close on doors up to 80kg. Jamb kits provide a clean, professional finish around the door opening. With a 20-year manufacturer's guarantee, the system can withstand 100,000 open/close cycles and a 120kg load - 20% more than alternatives. 70% of materials used are PEFC certified.



Westgate Engineered Veneer



Scrigno

Upgraded Pocket Door Kit

Type	Size (HxW)	Code
Pocket Door Kit	1.578m x 2.037m	GIR0140
Pocket Door Kit	1.704m x 2.037m	GIR0141

Jamb Kit

Type	Size (HxW)	Code
Double Jamb Kit	2.4m x 2.1m	GIR0143
Single Jamb Kit	1.2m x 2.1m	GIR0142

Soft Close Unit

Type	Code
Soft Close Unit	GIR0139



1 Panel Shaker Primed Glazed

Henderson Standard Pocket Door Kit

Seamlessly slide doors away into cavity walls with this pocket door kit. Ideal for compact interiors where space for traditional swinging, or standard sliding doors is tight.


Improve the usability of kitchens, bathrooms, en-suites, utilities, walk-in wardrobes and homes where enhanced accessibility is required. Supplied with a 10-year guarantee

HENDERSON
ASSA ABLOY

Max. Door Size (HxW)	Max. Door Weight	Code
1981 x 762mm	60kg	GIR3000 UK
1981 x 838mm	60kg	GIR5194 UK

UK = Manufactured in the UK

Fuller & Forge
UNLOCK MORE



NEW
Pocket Door Handles

See page 58

Commercial Doors

Our commercial doors are designed to provide a clean, modern look and be hard-wearing and easy to maintain in heavy-use locations, including:

- Schools, colleges and universities
- Commercial premises and offices
- Healthcare
- Hotels and hospitality
- Airports
- Social housing
- Flats and apartments
- Student halls

Versatile and Affordable
A wide choice of styles, materials, and performance standards.

Low Maintenance
Easy to clean with minimal upkeep.

Secure and Efficient
Protection against unauthorised access and energy waste.

Durable
Withstanding frequent use, harsh weather and demanding environments.

Fire Safety
All fire doors tested to relevant standards.

UK Manufactured
Our UK manufactured doors comply with stringent quality standards and local regulations.

Scan to view our Commercial Doors

Featured in main image
Door: Hensell Soft Oak 20G FD30 Fire
Ironmongery: Matt Black Mitred Lecco Rose Handle
Joinery: Primed Square MDF Skirting and Architrave
Flooring: Oake & Gray Graphite Luxury Rigid Vinyl Tiles

Spey

For commercial or domestic use, this door has a smooth, slab design, and comes ready for painting.

E Part E M Part M Fire doors

Finishes



Unfinished Plywood | Primed White | Primed White Extra Trim

UK MANUFACTURED

Flush Plywood

A honeycomb, or solid core with a simple slab surface and hardwood lipped on long edges.



Spey Ply Lipped 44mm FD30 Fire with Oake & Gray Nature Oak Herringbone Luxury Rigid Vinyl Flooring



Spey Ply Lipped 20G Glazed FD30 Fire



Spey Ply Lipped 16G Glazed FD30 Fire

Standard

Size (HxWxT)	Code	
1981 x 381 x 35mm	DIC1300	UK F
1981 x 457 x 35mm	DIC1310	UK F
1981 x 533 x 35mm	DIC1320	UK F
1981 x 610 x 35mm	DIC1330	UK F
1981 x 686 x 35mm	DIC1340	UK F
1981 x 711 x 35mm	DIC1350	UK F
1981 x 762 x 35mm	DIC1360	UK F
1981 x 838 x 35mm	DIC1370	UK F M
1981 x 864 x 35mm	DIC1391	UK F M
2032 x 813 x 35mm	DIC1380	UK F
2040 x 526 x 40mm	DIC3020	UK F
2040 x 626 x 40mm	DIC3030	UK F
2040 x 726 x 40mm	DIC3040	UK F
2040 x 826 x 40mm	DIC3060	UK F M
2040 x 926 x 40mm	DIC3070	UK F M

44mm FD30 Fire

Size (HxWxT)	Code	
1981 x 457 x 44mm	DIF1410	UK P E
1981 x 533 x 44mm	DIF1421	UK P E
1981 x 610 x 44mm	DIF1430	UK P E
1981 x 686 x 44mm	DIF1440	UK P E
1981 x 711 x 44mm	DIF1450	UK P E
1981 x 762 x 44mm	DIF1460	UK P E
1981 x 838 x 44mm	DIF1470	UK P E M
1981 x 864 x 44mm	DIF1490	UK P E M
2032 x 813 x 44mm	DIF1480	UK P E
2040 x 526 x 44mm	DIF1520	UK P E
2040 x 626 x 44mm	DIF1530	UK P E
2040 x 726 x 44mm	DIF1540	UK P E
2040 x 826 x 44mm	DIF1560	UK P E M
2040 x 926 x 44mm	DIF1570	UK P E M

35mm FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 35mm	DIF8940	UK F
1981 x 762 x 35mm	DIF8960	UK F
1981 x 838 x 35mm	DIF8970	UK F M
2032 x 813 x 35mm	DIF8980	UK F M

G/O FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL0540	UK P E
1981 x 762 x 44mm	DFL0560	UK P E
1981 x 838 x 44mm	DFL0570	UK P E M
2040 x 726 x 44mm	DFL0640	UK P E
2040 x 826 x 44mm	DFL0660	UK P E M
2040 x 926 x 44mm	DFL0670	UK P E M

16G FD30 Glazed

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL4040	UK P E
1981 x 762 x 44mm	DFL4060	UK P E
1981 x 838 x 44mm	DFL4070	UK P E M
2040 x 726 x 44mm	DIF9440	UK P E
2040 x 826 x 44mm	DFL4160	UK P E
2040 x 926 x 44mm	DFL4170	UK P E M

20G FD30 Glazed

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL3840	UK P E
1981 x 762 x 44mm	DFL3860	UK P E
1981 x 838 x 44mm	DFL3870	UK P E M
2040 x 726 x 44mm	DFL3940	UK P E
2040 x 826 x 44mm	DFL3960	UK P E
2040 x 926 x 44mm	DFL3970	UK P E M

Spey Primed Extra Trim

Featuring 40mm trim on the bottom and sides.



See page 47

Primed Flush

A honeycomb, or solid core with a simple slab surface and painted in a white primer, ready to be finished in a colour of your choice.



Primed Spey 20G Glazed FD30 Fire

Standard

Size (HxWxT)	Code
1981 x 610 x 35mm	DIL0130 UK F
1981 x 686 x 35mm	DIL0140 UK F
1981 x 762 x 35mm	DIL0160 UK F
1981 x 838 x 35mm	DIL0170 UK F M
2040 x 626 x 40mm	DIL0230 UK F
2040 x 726 x 40mm	DIL0240 UK F
2040 x 826 x 40mm	DIL0260 UK F M
2040 x 926 x 40mm	DIL0270 UK F M

FD30 Fire

Size (HxWxT)	Code
1981 x 610 x 44mm	DFL0130 UK P
1981 x 686 x 44mm	DFL0140 UK P
1981 x 762 x 44mm	DFL0160 UK P
1981 x 838 x 44mm	DFL0170 UK P M
2040 x 626 x 44mm	DFL0230 UK P
2040 x 726 x 44mm	DFL0240 UK P
2040 x 826 x 44mm	DFL0260 UK P M
2040 x 926 x 44mm	DFL0270 UK P M

20G FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFL0340 UK P
1981 x 762 x 44mm	DFL0360 UK P
1981 x 838 x 44mm	DFL0370 UK P M
2040 x 726 x 44mm	DFL0440 UK P
2040 x 826 x 44mm	DFL0460 UK P M

Primed Flush Extra Trim


An engineered solid core with an MDF skin, painted in a white primer, ready for finishing. This door has a maximum trim of up to 40mm off the bottom and sides*.



Spey Primed Extra Trim FD30 Fire

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFL4940 UK P
1981 x 762 x 44mm	DFL4960 UK P
1981 x 838 x 44mm	DFL4970 UK P M





*Standard trim is 4mm vertical and 6mm bottom edge | **UK** = Manufactured in the UK | **F** = FSC® | **P** = PEFC | **E** = Sound reducing | **M** = Mobility and access

Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews. Information is correct at the time of printing

Available From Local Stock, Nationwide

NEW Hensall Soft Oak

Complement a modern interior with this pre-finished*, flush door in a soft oak finish. Suited to both residential and commercial properties.

E Part E M Part M Fire doors

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE

UK MANUFACTURED

Pre-Finished Foil Flush

A honeycomb, or solid core door, with a pre-finished foil surface.



Hensall Soft Oak FD30 Fire

Standard

Size (HxWxT)	Code
1981 x 762 x 35mm	DIL5260 UK P
1981 x 838 x 35mm	DIL5270 UK P M

FD30 Fire

Size (HxWxT)	Code
1981 x 762 x 44mm	DFL5260 UK P E
1981 x 838 x 44mm	DFL5270 UK P E M
2040 x 826 x 44mm	DFL5360 UK P E M
2040 x 926 x 44mm	DFL5370 UK P E M

20G FD30 Fire

Size (HxWxT)	Code
1981 x 762 x 44mm	DGF5260 UK P E
1981 x 838 x 44mm	DGF5270 UK P E M
2040 x 826 x 44mm	DGF5360 UK P E M
2040 x 926 x 44mm	DGF5370 UK P E M

Buckmore

With a simple, oak foil flush surface, these pre-finished doors have a consistent colour and grain.

E Part E M Part M Fire doors

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE

UK MANUFACTURED

Pre-Finished Foil Flush

A honeycomb, or solid core with a simple slab surface.



Buckmore Light Grey Oak Foil 20G FD30 Fire

FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DFL1440 † UK P E
1981 x 762 x 44mm	DFL1460 † UK P E
1981 x 838 x 44mm	DFL1470 † UK P E M
2040 x 726 x 44mm	DFL3440 UK P E
2040 x 826 x 44mm	DFL3460 UK P E M
2040 x 926 x 44mm	DFL3470 † UK P E M

20G FD30 Fire

Size (HxWxT)	Code
1981 x 686 x 44mm	DIF8040 † UK P E
1981 x 762 x 44mm	DIF8060 † UK P E
1981 x 838 x 44mm	DIF8070 † UK P E M
2040 x 826 x 44mm	DFL8060 † UK P E M
2040 x 926 x 44mm	DFL8070 † UK P E M

Llandow

With a simple, oak foil flush surface, these pre-finished* doors have a consistent colour and grain.

HOWDENS PRE-FINISHED 5 YEARS DOOR GUARANTEE

UK MANUFACTURED

E Part E M Part M Fire doors



Pre-Finished Foil Flush

A honeycomb, or solid core door, with a pre-finished foil surface.

Standard

Size (HxWxT)	Code	
1981 x 610 x 35mm	DIL1930	UK F
1981 x 686 x 35mm	DIL1940	UK F
1981 x 762 x 35mm	DIL1960	UK F
1981 x 838 x 35mm	DIL1970	UK F M
2040 x 726 x 40mm	DIL2040	UK F
2040 x 826 x 40mm	DIL2060	UK F M
2040 x 926 x 40mm	DIL2070	UK F M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL1940	UK P E
1981 x 762 x 44mm	DFL1960	UK P E
1981 x 838 x 44mm	DFL1970	UK P E M
2040 x 726 x 44mm	DFL2040	UK P E
2040 x 826 x 44mm	DFL2060	UK P E M
2040 x 926 x 44mm	DFL2070	UK P E M

16G FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL2240	UK P E
1981 x 762 x 44mm	DFL2260	UK P E
1981 x 838 x 44mm	DFL2270	UK P E M
2040 x 826 x 44mm	DFL2460	UK P E M
2040 x 926 x 44mm	DFL2470	UK P E M

20G FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DFL2140	UK P E
1981 x 762 x 44mm	DFL2160	UK P E
1981 x 838 x 44mm	DFL2170	UK P E M
2040 x 826 x 44mm	DFL2360	UK P E M
2040 x 926 x 44mm	DFL2370	UK P E M

Dunsfold Plywood

Provides a simple and durable solution to secure buildings, and offer weather protection.

UK MANUFACTURED

M Part M Fire doors



Standard

Size (HxWxT)	Code	
1981 x 762 x 44mm	DXL0560	UK P
1981 x 838 x 44mm	DXL0570	UK P M

G/O Glazed FD30 Fire

Size (HxWxT)	Code	
1981 x 762 x 44mm	DXF1360	UK P
1981 x 838 x 44mm	DXF1370	UK P M

FD30 Fire

Size (HxWxT)	Code	
1981 x 686 x 44mm	DXF0140	UK P
1981 x 762 x 44mm	DXF0160	UK P
1981 x 838 x 44mm	DXF0170	UK P M
2032 x 813 x 44mm	DXF0180	UK P
2040 x 826 x 44mm	DXF0460	UK P M
2040 x 926 x 44mm	DXF0470	UK P M

Solid Core Blank Lightweight

Provides a simple and durable solution to secure buildings, and offer weather protection.

E Part E M Part M Fire doors



FD30 Fire

Size (HxWxT)	Code	
2134 x 914 x 44mm	DXF0046	E M
2439 x 1219 x 44mm	DXF0048	E M

FD60 Fire


Size (HxWxT)	Code	
2134 x 914 x 54mm	DXF0047	E M

*Door faces use a pre-finished foil requiring no further treatment. Raw edges and any cut-outs for ironmongery require finishing with a suitable stain or varnish
†Subject to availability | UK = Manufactured in the UK | F = FSC® | P = PEFC | E = Sound reducing | M = Mobility and access

Available From Local Stock, Nationwide


Know When A Fire Door Is Needed

Fire doors are required to ensure a building meets fire safety standards and regulations. The illustrations below highlight some typical examples where the correct use of fire doors can help protect a building and its occupants from the threat of fire.



House


Integral garage doors should be fire doors.



Three Storey House


All doors of habitable rooms that lead onto a stairwell should be fire doors (including loft conversions).





Flats / High-Rise

Flat entrance doors and communal doors should be fire doors.



Commercial Building

The fire door requirements will be detailed in the buildings' fire risk assessment document.

Here to help

We've put all the information about everything you need to be fire safe into one handy document.

Scan to view our latest Fire Door Safety Guide

Fire certified

All fire doors and fire-rated components pass stringent tests to meet strict criteria. It is important to ensure they are installed correctly to perform properly.

Get it right

- Never trim the door from the top. Only ever trim the sides and bottom edge*
- Always read the applicable fire door documentation and data sheet where available in conjunction with the fitting instruction to ensure you're installing a safe and fully compliant door set.



Everything You Need For A Fire Safe Fit

Fire doors are made to resist the spread of flames and smoke, protecting a building, contents, and occupants by creating a barrier and allowing extra time to escape. Fire doors must be properly installed and maintained for optimum performance.

Fire Doors



Frames, Linings and Casings

Our fire-rated casings and linings are FD30 rated, and our fire-rated door frames come in both FD30 and FD60 ratings, and must match the specification on the fire door certificate for effective performance.

Some frames are supplied with intumescent seals, while others are pre-grooved for 15mm intumescent seals.

Intumescent Seals and Pads

Intumescent seals are located either in the door edge or frame (never both). In the event of fire, they block the gap between door and frame, creating a protective barrier.

Intumescent strips and pads are often recommended on hinges, locks, latches, and door closers.

Fire-Rated Hinges

Three CE/UKCA fire-rated hinges must be used on all fire doors. Ensure the hinges selected are correct for the weight of the door and that any additional ironmongery, such as door closers, have been considered when making this choice. Intumescent pads may be required.

Locks and Latches

Fire-rated locks and latches are CE-marked (suitable for a fire door). Check the fire door certificate for directions on fitting intumescent paper, and the type required for the door.

Door Closers

Door closers protect property from smoke and fire damage by ensuring doors automatically close after opening. Fire-rated door closers can offer protection for up to 2 hours, and are CE-marked.

SPÄRKA®

All our fire doors are 100% compliant when fitted with SPARKA fire door hardware*1



Scan for the Fire Door Checklist

*Applies to Certifire approved fire doors | *1 Requirements vary with each door. Always scan the QR code on hardware packaging for compliance instructions

Fire Door Packages

Everything you need to fit a compliant fire door in one kit for latched single acting doors in domestic applications.

Fire package includes:

1 x Door
1 x 132mm casing
3 x Intumescent strips
3 x Hinges
1 x Intumescent pad pack*
1 x Tubular mortice latch

Fire and security package includes:

1 x Mortice sash lock (supplied in place of latch)
1 x Intumescent paper pack*
1 x Door closer

*Excluding Holdenby Oak options

Dordogne Smooth FD30



Size (HxWxT)	Fire	Fire and Security	
1981 x 610 x 44mm	DFP7331	DFP7330	UK P E
1981 x 686 x 44mm	DFP7341	DFP7340	UK P E
1981 x 762 x 44mm	DFP7361	DFP7360	UK P E
1981 x 838 x 44mm	DFP7371	DFP7370	UK P E M
2040 x 626 x 44mm	DFP0931	DFP0930	UK P E
2040 x 726 x 44mm	DFP0941	DFP0940	UK P E
2040 x 826 x 44mm	DFP0961	DFP0960	UK P E M
2040 x 926 x 44mm	DFP0971	DFP0970	UK P E M

Colonial 6 Panel Grained FD30



Size (HxWxT)	Fire	Fire and Security	
1981 x 610 x 44mm	DFP0532	DFP0531	UK P E
1981 x 686 x 44mm	DFP0542	DFP0541	UK P E
1981 x 762 x 44mm	DFP0562	DFP0561	UK P E
1981 x 838 x 44mm	DFP0572	DFP0571	UK P E M
2032 x 813 x 44mm	DFP0581	DFP0580	UK P E M
2040 x 626 x 44mm	DFP1031	DFP1030	UK P E
2040 x 726 x 44mm	DFP1041	DFP1040	UK P E
2040 x 826 x 44mm	DFP1061	DFP1060	UK P E M
2040 x 926 x 44mm	DFP1071	DFP1070	UK P E M

Holdenby Oak FD30



Size (HxWxT)	Fire	Fire and Security	
1981 x 686 x 44mm	DFP7541	DFP7540	
1981 x 762 x 44mm	DFP7561	DFP7560	
1981 x 838 x 44mm	DFP7571	DFP7570	M

Spey Ply FD30 44mm



Size (HxWxT)	Fire	Fire and Security	
1981 x 457 x 44mm	DFP1411	DFP1410	UK P E
1981 x 533 x 44mm	DFP1422	DFP1421	UK P E
1981 x 610 x 44mm	DFP1431	DFP1430	UK P E
1981 x 686 x 44mm	DFP1441	DFP1440	UK P E
1981 x 711 x 44mm	DFP1451	DFP1450	UK P E
1981 x 762 x 44mm	DFP1461	DFP1460	UK P E
1981 x 838 x 44mm	DFP1471	DFP1470	UK P E M

Size (HxWxT)	Fire	Fire and Security	
1981 x 864 x 44mm	DFP1491	DFP1490	UK P E M
2032 x 813 x 44mm	DFP1481	DFP1480	UK P E M
2040 x 526 x 44mm	DFP1521	DFP1520	UK P E
2040 x 626 x 44mm	DFP1531	DFP1530	UK P E
2040 x 726 x 44mm	DFP1541	DFP1540	UK P E
2040 x 826 x 44mm	DFP1561	DFP1560	UK P E M
2040 x 926 x 44mm	DFP1571	DFP1570	UK P E M


UK = Manufactured in the UK | P = PEFC | E = Sound reducing | M = Mobility and access

External Doors

Our external doors offer security, durability, and kerb appeal to make a strong first impression, while protecting the home.



Ledged and Braced
Page 54



Framed Ledged and Braced
Page 54



Hemlock Glazed
Page 54



Regent
Page 54



Mondello H2XG Glazed
Page 54



Mondello H2XG Frosted Glazed
Page 54



Richmond Frosted Glazed
Page 55



Bosworth Glazed
Page 55



Dordogne Oak
Page 55



Dordogne Oak Frosted Glazed
Page 55

Scan to view our External Doors

Featured in main image
Door: Mondello H2XG Frosted Glazed
Ironmongery: Fuller & Forge Antique Brass Arno Backplate Handle
Flooring: Oake & Gray Vanilla Oak Herringbone Luxury Rigid Vinyl

Softwood External Doors

These doors are a cost-effective solution that have a natural, warm appearance. They require regular maintenance to ensure durability, and weather protection.



Ledged and Braced

A softwood door with traditional ledged and braced construction for a rustic look.

Size (HxWxT)	Code
1981 x 686 x 38mm	DXC0640 F
1981 x 762 x 38mm	DXC0660 F
1981 x 838 x 38mm	DXC0670 F



Framed Ledged and Braced

A softwood door with a framed ledged and braced construction.

Size (HxWxT)	Code
1981 x 610 x 44mm	DXC0530 F
1981 x 686 x 44mm	DXC0540 F
1981 x 762 x 44mm	DXC0560 F
1981 x 838 x 44mm	DXC0570 F M
2032 x 813 x 44mm	DXC0580 F M



Hemlock Glazed

A stile and rail construction with a glazed top panel to let light through.

Size (HxWxT)	Code
1981 x 762 x 44mm	DXT1160
1981 x 838 x 44mm	DXT1170 M

Hardwood External Doors

Providing superior strength, security and a rich, timeless appearance, hardwood doors are highly durable, and resistant to weather, while enhancing the entrance to a home.



Regent

A hardwood door in a classic style, supplied ready to paint.

Size (HxWxT)	Code
1981 x 762 x 44mm	DXH4360 P
1981 x 838 x 44mm	DXH4370 P M
2032 x 813 x 44mm	DXH4381 P M



Mondello H2XG Glazed

A hardwood door in a classic style with a clear-glazed top panel to let light through.

Size (HxWxT)	Code
1981 x 762 x 44mm	DXH5160 P
1981 x 838 x 44mm	DXH5170 P M
2032 x 813 x 44mm	DXH5180 P M



Mondello H2XG Frosted Glazed

A classic-style hardwood door with a frosted-glazed top panel to maintain privacy.

Size (HxWxT)	Code
1981 x 762 x 44mm	DXH2260 P
1981 x 838 x 44mm	DXH2270 P M



Richmond Frosted Glazed

Features two glazed windows with frosted glass for privacy and light.

Size (HxWxT)	Code	
1981 x 762 x 44mm	DXH5460	P
1981 x 838 x 44mm	DXH5470	P M
2032 x 813 x 44mm	DXH5480	P M



Bosworth Glazed

An eye-catching, multi-panel design providing a classic look and plenty of light.

Size (HxWxT)	Code	
1981 x 838 x 44mm	DXH5870	P M
2032 x 813 x 44mm	DXH5880	P M



Dordogne Oak*

Features simple lines and a grained-oak finish for a warm and contemporary finish.

Size (HxWxT)	Code	
1981 x 838 x 44mm	DXP2670	M
2032 x 813 x 44mm	DXP2680	M



Dordogne Oak Frosted Glazed*

Features four windows to let light through, while maintaining privacy.

Size (HxWxT)	Code	
1981 x 838 x 44mm	DXH2970	F M
2032 x 813 x 44mm	DXH2980	F M

Everything you need for the job



Unassembled External Hardwood Door Frame*
DFR0563



Cylinder Pull
DFU0205



ERA Double Locking Nightlatches
LAL0066



Victorian Scroll Polished Chrome
DFU0660



Letterplate
DFU0242



External Hardwood Door Sill
DFR0907



Oak Weather Bar
DXE0002



Ask your local depot for more info

*Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.
F = FSC® | **P** = PEFC | **M** = Mobility and access

Door Handles and Furniture

Personalise doors with handles and knobs in a choice of designs, finishes, and styles.

Our collection includes Fuller & Forge luxury ironmongery - exclusive to us.

Fuller & Forge



Sofia Rose



Antique Brass	DFU0325
Matt Black	DFU0324
Polished Chrome	DFU0709
Polished Black Nickel	DFU1040
Satin Nickel	DFU0726

Runda Rose



Antique Brass	DFU0323
Matt Black	DFU0322
Polished Chrome	DFU0321
Satin Nickel	DFU0320

Lecco Rose FD30/FD60



Antique Brass	DFU0976 FH
Matt Black	DFU0975 FH
Polished Stainless Steel	DFU5138 FH
Satin Stainless Steel	DFU0471 FH

Turin Rose



Antique Brass	DFU0978 FH
Matt Black	DFU0977 FH
Polished Stainless Steel	DFU0744 FH
Satin Stainless Steel	DFU0727 FH

Mitred Lecco FD30/FD60



Antique Brass	DFU0974 FH
Dual-Tone Stainless Steel	DFU0344 FH
Matt Black	DFU0973 FH
Polished Stainless Steel	DFU5088 FH
Satin Stainless Steel	DFU1030 FH

Cesano Rose



Polished Chrome	DFU5211

Burford Square Rose



Antique Brass	DFU0972 FH
Brushed Stainless Steel	DFU0979 FH
Matt Black	DFU0971 FH
Polished Stainless Steel	DFU0970 FH

Slim Mitred Rose



Matt Black	DFU1060
Satin Stainless Steel	DFU1056 NEW

Newington Rose



Antique Brass	DFU0461
Dual-Tone Chrome	DFU0836
Matt Black	DFU0746
Polished Black Nickel	DFU0838

Yarwell Rose



Matt Black	DFU0355
Polished Chrome	DFU5198
Satin Nickel	DFU5200

Fino Rose



Polished Chrome	DFU0850

Matching door furniture

Co-ordinating door furniture is available for all our handles.

Newington Backplate



Dual-Tone Chrome	LAL5068

Yarwell Backplate



Matt Black	DFU0351
Polished Chrome	DFU5187
Satin Nickel	DFU5188

Fino Backplate



Polished Chrome	DFU0851

Guaranteed to last

Our door handles are quality-tested and made to last, with 10 or 20-year mechanical guarantees when used indoors.

HOWDENS HANDLES 20 YEARS MECHANICAL GUARANTEE

HOWDENS HANDLES 10 YEARS MECHANICAL GUARANTEE

Victorian Scroll Backplate



Polished Brass **DFU0631**
Polished Chrome **DFU0661**
Satin Nickel **DFU0860**

Victorian Backplate



Matt Black **DFU0359**
Polished Chrome **DFU0611**
Polished Brass **DFU0621**

Cast Iron Black



Latch **DFU0347**



Lock **DFU0348** Rose **DFU0349**

Victorian Short Backplate



Polished Chrome **DFU1014**
Satin Nickel **DFU1015**

Victorian Mortice Knob



Polished Brass **DFU0050**
Polished Chrome **DFU0664**
Satin Nickel **DFU0754**

Antique Black



Latch **DFU0934**



Lock **DFU0933**



Door Knob **DFU5174**

Edinburgh Rose FD30/FD60



Matt Black **DFU0503** **FH**
Satin Aluminium **DFU0745** **FH**

Edinburgh Backplate FD30/FD60



Matt Black **DFU0504** **FH**
Satin Aluminium **DFU1001** **FH**



Suffolk Latch **LAL0315**



Bathroom Turn **DFU0935**



Tee Hinge **HNG0122**



Door Bolt **SCF0267**



Pull Handle **DFU0937**

CARLISLE BRASS

Add style and durability to doors throughout your home with Serozzetta handles from Carlisle Brass.

Serozzetta - Edge





Polished Chrome **DFU1120** **FH**



Matt Black **DFU1140** **FH**



Antique Brass **DFU1121** **FH**

Serozzetta - Olivier





Polished Chrome **DFU1123** **FH**



Matt Black **DFU1141** **FH**



Antique Brass **DFU1124** **FH**

Serozzetta - Trend





Dual-Tone Chrome **DFU1126** **FH**



Matt Black **DFU1142** **FH**

Serozzetta - Azul






Dual-Tone Chrome **DFU1127** **FH**



Matt Black **DFU1143** **FH**

Matching accessories available



FH = Essential Fire Door Hardware

Fuller & Forge

UNLOCK MORE

Enhance an interior with ironmongery that leaves a lasting impression

Exclusive to Howdens



Pocket Door Handles



Antique Brass	**LAL0294**	Polished Chrome	**LAL0295**
Matt Black	**LAL0297**	Satin Nickel	**LAL0296**

Pocket Door Bathroom Locks




Antique Brass	**LAL0290**	Polished Chrome	**LAL0291**
Matt Black	**LAL0293**	Satin Nickel	**LAL0292**

Orio Rose



Antique Brass	**DFU0374**	Satin Brass	**DFU0375**
Matt Black	**DFU0376**	Satin Bronze	**DFU0377**
Polished Chrome	**DFU0373**	Satin Nickel	**DFU0378**

Iseo Knurled Rose




Antique Brass	**DFU0562**	Satin Bronze	**DFU1108**
Matt Black	**DFU0561**	Satin Brass	**DFU1172**
Satin Nickel	**DFU0563**		

Iseo Knurled Slim Rose Knob



Antique Brass	**DFU1071**	Satin Bronze	**DFU1109**
Matt Black	**DFU1069**	Satin Brass	**DFU1173**
Satin Nickel	**DFU1070**		

Orta Fluted Rose



Antique Brass	**DFU1074**	Satin Bronze	**DFU1110**
Matt Black	**DFU1072**	Satin Brass	**DFU1180**
Satin Nickel	**DFU1073**		

Orta Fluted Slim Rose Knob




Antique Brass	**DFU1077**	Satin Bronze	**DFU1111**
Matt Black	**DFU1075**	Satin Brass	**DFU1181**
Satin Nickel	**DFU1076**		

Tanaro Hexagonal Rose



Matt Black	**DFU1078**	Satin Brass	**DFU1080**
Satin Bronze	**DFU1079**	Satin Nickel	**DFU1150**

Tanaro Hexagonal Slim Rose Knob



Matt Black	**DFU1081**	Satin Brass	**DFU1083**
Satin Bronze	**DFU1082**	Satin Nickel	**DFU1151**

Como Rose



Antique Brass	DFU1087	Satin Nickel	DFU1085
Matt Black	DFU1084	Satin Bronze	DFU1112
Polished Chrome	DFU1086		

Como T Bar Knob



Antique Brass	DFU1091	Satin Nickel	DFU1089
Matt Black	DFU1088	Satin Bronze	DFU1113
Polished Chrome	DFU1090		

Bamboo Rose



Matt Black	DFU0369	Satin Brass	DFU0371
Satin Bronze	DFU0370	Satin Nickel	DFU0372

Arno Rose



Antique Brass	DFU1107	Polished Chrome	DFU1106
Matt Black	DFU1104	Satin Nickel	DFU1105

Arno Backplate Handle



Antique Brass	DFU1100	Polished Chrome	DFU1103
Matt Black	DFU1094	Satin Nickel	DFU1097

Manet Rose



Matt Black	DFU0876	Satin Bronze	DFU0576
Polished Chrome	DFU0877	Satin Nickel	DFU0878
Satin Brass	DFU0575		

Garda Rose




Antique Brass	DFU1065	Satin Brass	DFU0367
Matt Black	DFU0879	Satin Bronze	DFU0368
Polished Brass	DFU0809	Satin Nickel	DFU0821
Polished Chrome	DFU0820		

Garda Backplate Handle



Antique Brass	DFU0980	Polished Brass	DFU0810
Matt Black	DFU0890	Satin Nickel	DFU0719
Polished Chrome	DFU0705		

Munch Rose




Antique Brass	DFU0960	Satin Brass	DFU0362
Matt Black	DFU0961	Satin Bronze	DFU0363
Polished Chrome	DFU0962	Satin Nickel	DFU0963

Munch Backplate Handle



Antique Brass	DFU0956	Polished Chrome	DFU1066
Matt Black	DFU0950	Satin Nickel	DFU0364

Beehive Mortice Knob



Antique Brass	DFU0497	Satin Nickel	DFU0570
Matt Black	DFU0496	Satin Bronze	DFU0571
Polished Chrome	DFU0495	Satin Brass	DFU0572

Quality tested

Fuller & Forge handles are tested to the highest standards to ensure their durability and longevity. This includes:

- 96 hours of salt spray testing*
- 100,000 open and close cycles

FULLER & FORGE 30 YEARS MECHANICAL GUARANTEE

*Our fashion finishes are only salt spray tested for 48 hours

JIGTECH™

Fit handles in less than 3 minutes with designs exclusive to Howdens

All Jigtech latch packs include: Rose Handle, 3" Jigtech Latch, Strike Plate, Bolt Through Fixings and two 3" Ball Bearing Butt Hinges.



Jigtech Quick Fit Installers Kits

Required for installing Jigtech handles and latches

Handle Jig Pack **TLS0607**
Keep Locator **TLS0672**
Latch Tapper **TLS0762**
25mm Holesaw and Arbor **TLS0761**
44mm Holesaw and Arbor **TLS0760**





Minim Slim Rose




Antique Brass	**LAL1191**
Matt Black	**LAL1190**
Polished Stainless Steel	**LAL1192**
Satin Stainless Steel	**LAL1196**



Modell Slim Rose



Antique Brass	**LAL1194**
Matt Black	**LAL1193**
Polished Stainless Steel	**LAL1197**
Satin Stainless Steel	**LAL1195**




Orka Bathroom Turn



Antique Brass	**DFU0486**
Matt Black	**DFU0485**
Polished Stainless Steel	**DFU0487**
Satin Stainless Steel	**DFU0488**



Newington




Dual-Tone Chrome	**LAL1211**
Matt Black	**LAL1333**



Sofia



Polished Chrome	**LAL1212**
Satin Chrome	**LAL5059**




Cesano



Polished Chrome	**LAL1213**
Satin Chrome	**LAL5060**



Turin



Satin Stainless Steel	**LAL5002**



Kona



Polished Chrome	**LAL5006** †

Latches



Antique Brass - 57mm	**LAL1189**
Matt Black - 57mm	**LAL1199**
Polished Chrome - 45mm	**LAL0863**
Polished Chrome - 57mm	**LAL0870**



Satin Nickel - 45mm	**LAL0864**
Satin Nickel - 57mm	**LAL0871**
Polished Black Nickel - 57mm	**LAL0862**

Bathroom Bolts




Polished Black Nickel - 57mm	**LAL0126**
Polished Chrome - 57mm	**LAL0128**
Satin Nickel - 57mm	**LAL0129**
Antique Brass - 57mm	**LAL1188**
Matt Black - 57mm	**LAL1198**

Bathroom Bolt Packs



Polished Chrome	**DFU5029**
Satin Chrome	**DFU5030**

Privacy Packs



Polished Chrome	**DFU5027**
Satin Chrome	**DFU5028**

Joinery

Complete a variety of jobs around the home with a choice of products available from local stock.

Stocked Brands

Skirting and Architrave

Add character and create a clean finish between walls and floors.

From page 62



Primed MDF Ogee Skirting and Architrave

Decorative Mouldings and Wall Panelling

Add texture and create statement features with a variety of panelling, including noise-reducing designs.

From page 64



Washed Walnut Acoustic Wall Panelling



Primed Hardwood Unassembled FD30 Frame

Door Casings, Linings and Frames

Add a final finish around doorways that allows doors to be secured firmly in the opening.

Page 73

†Subject to availability

Stairs Parts, Flights, Cladding and Winder Boxes

Complete staircase renovations and reconfigurations with a variety of products to personalise a stairway.

From page 70



Reversible Primed & Oak Stair Cladding, Oak Square Newel Post and Cap, Primed Square Spindle and Double Astragal Decorative Moulding

Loft Access and Boards

Provide safe and easy access to loft spaces with retractable ladders and boards.

Page 73



Fakro LWK Komfort Loft Ladder and Hatch

Skirting and Architrave

Protecting walls from daily knocks and scrapes, skirting and architrave helps prevent damage by furniture and occupants.

FSC

UK MANUFACTURED



NEW Primed Heritage MDF

Introducing our new Primed Heritage Skirting and Architrave Profile - a timeless design that brings classic elegance into any interior. Its refined detailing creates a seamless transition between walls, doors, and floors. Primed and ready to be painted to add character to a room.

Architrave	4.2m x 80mm x 18mm	MOD0914	UK F
Skirting	4.2m x 152mm x 18mm	MOD0915	UK F
Skirting	4.2m x 170mm x 18mm	MOD0916	UK F
Skirting	4.2m x 200mm x 18mm	MOD0917	UK F







Primed Burford MDF



Architrave	4.2m x 45mm x 14.5mm	MOD0850	UK F
Architrave	2.4m x 70mm x 14.5mm	MOD0884	UK F
Architrave	4.2m x 70mm x 14.5mm	MOD0837	UK F
Skirting	4.2m x 96mm x 14.5mm	MOD0851	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0836	UK F
Skirting	4.2m x 152mm x 14.5mm	MOD0841	UK F

Primed Torus MDF



Architrave	4.2m x 70mm x 18mm	MOD0808	UK F
Skirting	4.2m x 120mm x 18mm	MOD0802	UK F
Skirting	4.2m x 170mm x 18mm	MOD0803	UK F
Skirting	4.2m x 152mm x 18mm	MOD0813	UK F

Primed Pencil Round MDF



Architrave	4.2m x 45mm x 14.5mm	MOD0811	UK F
Architrave	4.2m x 69mm x 14.5mm	MOD0815	UK F
Architrave	2.4m x 70mm x 14.5mm	MOD0885	UK F
Skirting	4.2m x 96mm x 14.5mm	MOD0810	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0816	UK F
Skirting	4.2m x 152mm x 14.5mm	MOD0881	UK F

Primed Chamfered MDF



Architrave	4.2m x 45mm x 14.5mm	MOD0806	UK F
Architrave	4.2m x 70mm x 14.5mm	MOD0852	UK F
Skirting	4.2m x 96mm x 14.5mm	MOD0801	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0880	UK F

Primed Square MDF



Architrave	4.2m x 44mm x 14.5mm	MOD0821	UK F
Architrave	4.2m x 70mm x 14.5mm	MOD0864	UK F
Skirting	4.2m x 96mm x 14.5mm	MOD0820	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0865	UK F
Skirting	4.2m x 152mm x 14.5mm	MOD0883	UK F

Primed Ogee MDF



Architrave	4.2m x 70mm x 18mm	MOD0807	UK F
Skirting	4.2m x 120mm x 18mm	MOD0804	UK F
Skirting	4.2m x 170mm x 18mm	MOD0805	UK F
Skirting	4.2m x 152mm x 18mm	MOD0812	UK F

Primed Double Groove MDF



Architrave	4.2m x 70mm x 14.5mm	MOD0853	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0855	UK F
Skirting	4.2m x 152mm x 14.5mm	MOD0856	UK F

Primed Elmbridge MDF



Architrave	4.2m x 70mm x 14.5mm	MOD0890	UK F
Skirting	4.2m x 96mm x 14.5mm	MOD0888	UK F
Skirting	4.2m x 120mm x 14.5mm	MOD0889	UK F

Primed Ovolo MDF



Architrave	4.2m x 70mm x 18mm	MOD0876	UK F
Skirting	4.2m x 120mm x 18mm	MOD0877	UK F
Skirting	4.2m x 152mm x 18mm	MOD0878	UK F

Primed Lambs Tongue MDF



Architrave	4.2m x 70mm x 18mm	MOD0872	UK F
Skirting	4.2m x 120mm x 18mm	MOD0873	UK F
Skirting	4.2m x 152mm x 18mm	MOD0874	UK F

Primed Victorian MDF



Architrave	4.2m x 80mm x 18mm	MOD0857	UK F
Skirting	4.2m x 170mm x 18mm	MOD0859	UK F
Skirting	4.2m x 200mm x 18mm	MOD0860	UK F
Skirting	4.2m x 152mm x 18mm	MOD0858	UK F

Torus Oak Veneer



Architrave	2.4m x 68mm x 18mm	MOD0726	UK F
Skirting	4.2m x 119mm x 18mm	MOD0725	UK F

UK = Manufactured in the UK | **F** = FSC® | Top rated products have a minimum 4.8 average rating, with a minimum of 50 trade reviews. Information is correct at the time of printing

Decorative Mouldings

Create a bespoke feature and add character to the home with a choice of shapes and profiles in a variety of sizes.

PEFC
PEFC/16-37-398

UK MANUFACTURED



1 Decorative Dado Rail



2.4m x 45mm x 20mm MOD0001 UK P

2 Decorative Double Astragal



2.4m x 34mm x 12mm MOD0002 UK P

3 Decorative Broken Ogee



2.4m x 21mm x 8mm MOD0004 UK P

4 Decorative Barrel Moulding




2.4m x 21mm x 9mm MOD0005 UK P

5 Decorative Panel Moulding



2.4m x 34mm x 9mm MOD0003 UK P





Decorative Mouldings Inspiration

Follow us on social media for ideas on how to use our products around the home.



6 Decorative Cover Moulding



2.4m x 45mm x 8mm MOD0007 UK P

Made in the UK

UK MANUFACTURED

All our decorative mouldings are manufactured in the UK, using wood from sustainable sources.

7 Panel Moulding



2.4m x 31mm x 12mm MOD0111 UK P



8 Primed Panel Moulding




Primed

2.4m x 34mm x 12mm MOD0012 UK P



9 Primed Double Astragal




Primed

2.4m x 45mm x 20mm MOD0013 UK P



10 Primed Stripwood



Primed

2.4m x 36mm x 12mm MOD0014 UK P



UK = Manufactured in the UK | P = PEFC

Wall Panelling

Add texture and personality to a variety of spaces around the home with panelling in a choice of designs and finishes.



Light Oak Reeded MDF Wall Panelling

Wall Panelling Inspiration

Scan for more wall panelling ideas

Reeded MDF Wall Panelling




Light Oak

2.6m x 167mm Pack of 6 **MOD0120** P



Dark Oak

2.6m x 167mm Pack of 6 **MOD0121** P



Matt Black

2.6m x 167mm Pack of 6 **MOD0123** P



Paintable

2.6m x 167mm Pack of 6 **MOD0122** P



Paintable Reeded MDF Wall Panelling

Wall Panelling Edging Caps

Designed for finishing the panelling when cut to size.

Light Oak **MOD0130** Dark Oak **MOD0131**
Matt Black **MOD0132** Paintable **MOD0133**

Ribbed MDF Wall Panelling



Paintable Ribbed MDF Wall Panelling



Light Oak

2.6m x 167mm Pack of 6 MOD0124 P



Paintable


2.6m x 167mm Pack of 6 MOD0126 P

Wide Ribbed MDF Wall Panelling



Halesworth Oak

2.6m x 197mm Single Pack MOD0140 UK F



Paintable

2.6m x 197mm Single Pack MOD0141 UK F


Halesworth Oak Wide Ribbed MDF Wall Panelling

UK = Manufactured in the UK | F = FSC® | P = PEFC

Wall Panelling

Customise walls, and enhance the style of a space with a variety of decorative wall panelling.

UK MANUFACTURED



Fluted Wall Panelling

2.4m x 224mm x 14.5mm MOD2104 UK F



Easipanel Primed Tongue and Groove Wall Panelling

1522mm x 516mm x 6mm MOD2201 UK F
915mm x 516mm x 6mm MOD2200 UK F



Primed Tongue and Groove with V Groove Cladding

2.4m x 11mm x 94mm MOD0011 UK P



MDF Strip

2.4m x 94mm x 9mm MOD0892 UK F

Acoustic Wall Panelling

Introduce texture, and reduce noise in a space with our acoustic wall panels, featuring a fire-retardant felt backing.


Washed Oak Acoustic Wall Panelling



Halesworth Oak

2.4m x 600mm x 21mm Finish: Laminate **MOD0109 F**



Black

2.4m x 600mm x 21mm Finish: Laminate **MOD0145 F**



Washed Oak

2.4m x 600mm x 19mm Finish: Real Wood Veneer **MOD0020 F**



Washed Walnut

2.4m x 600mm x 22mm Finish: Real Wood Veneer **MOD0019 F**




Clear Oak

2.4m x 600mm x 21mm Finish: Oak Veneer **MOD0102 F**



Hockley Walnut

2.4m x 600mm x 21mm Finish: Oak Veneer **MOD0103 F**



Hockley Charcoal

2.4m x 600mm x 21mm Finish: Oak Veneer **MOD0105 F**


Our Journey To Zero Waste, Zero Emissions

We are engaging with over 100 of our suppliers to achieve meaningful emission reductions.

Search 'sustainability' on Howdens.com


Wall Panelling Slats

Create custom wall designs, or a finished edge on acoustic panelling.



Clear Oak

2.4m x 22mm x 27mm Finish: Oak Veneer **MOD0113 F**



Hockley Walnut

2.4m x 22mm x 27mm Finish: Oak Veneer **MOD0114 F**



Hockley Charcoal

2.4m x 22mm x 27mm Finish: Oak Veneer **MOD0115 F**

UK = Manufactured in the UK | **F** = FSC® | **P** = PEFC

Available From Local Stock, Nationwide

Stair Parts

Available in a choice of styles, all staircases have the same key components. Take a look at the parts needed to complete a project.



Stair Part Connectors

Single person fitting and save 50% fitting time with Slip Fix stair part connectors.

Slip Fix Straight Kit **GIR0521**
Slip Fix Angled Kit **GIR0520**
Slip Fix Newel Post Fastener **GIR0522**

Ask your local depot for more info

Stair Components

1 Full and Half Newel Caps
The finishing touch to the newel post.

2 Handrail
This runs parallel with the pitch of the stairs, on top of the spindles.

3 Angled Fastener Kit
Used to fit an angled handrail between newel posts.

4 Full and Half Newel Posts
These structural posts sit at the top and bottom of each flight of stairs and support the handrail.

5 Spindles
The vertical infill between the handrail and baserail that defines the style of a staircase.

6 Winder Box
Add a left or right winder box to create a turn in your staircase.

7 Newel Post Fastener
Used to fit a newel post into a wood or concrete base.

8 Baserail
Secures the base of the spindles, running parallel with the handrail.

9 Straight Flight Stairs
Ready-assembled single flight of stairs to use between levels, landings, and winder boxes.

Square



Newel Posts

Full	Softwood	NWL0026	UK P
Half	Softwood	NWL0027	UK P
Full	Primed	NWL0090	F
Half	Primed	NWL0091	F
Full	Oak	NWL0024	UK F
Half	Oak	NWL0025	UK F

Spindles

32 mm	Softwood	SPN0010	UK P
41 mm	Softwood	SPN0100	UK P
32 mm	Primed	SPN0245	F
41 mm	Primed	SPN0247	F
41 mm	Oak	SPN0031	UK F

Newel Caps

Full	Softwood	NWL0094	UK F
Full	Primed	NWL0093	F
Half	Primed	NWL0092	F
Full	Oak	NWL0008	UK F
Half	Oak	NWL0009	UK F

Stop Chamfered



Newel Posts

Half	Softwood	NWL0081	UK P
Full	Softwood	NWL0080	UK P
Half	Primed	NWL0053	F
Full	Primed	NWL0052	F
Full	Oak	NWL0049	UK F

Spindles

41 mm	Softwood	SPN0231	UK P
32 mm	Softwood	SPN0230	UK P
32 mm	Primed	SPN0251	F
41 mm	Primed	SPN0250	F
41 mm	Oak	SPN0030	UK F

Newel Caps

Half	Softwood	NWL0023	UK F
Full	Softwood	NWL0022	UK F
Full	Oak	NWL0008	UK F
Half	Oak	NWL0009	UK F

Edwardian



Newel Posts

Half	Primed	NWL0085	F
Full	Primed	NWL0086	F

Spindles

41 mm	Softwood	SPN0246	F
32 mm	Softwood	SPN0248	F

Newel Caps

Half	Primed	NWL0087	F
Full	Primed	NWL0088	F

Twisted



Spindles

41 mm	Oak	SPN0252	UK F
41 mm	Softwood	SPN0253	UK P

Revive



Spindles

41 mm	Softwood	SPN0011	UK P
41 mm	Oak	SPN0012	UK F



UK = Manufactured in the UK | **F** = FSC® | **P** = PEFC

Available From Local Stock, Nationwide

Purra Oak



Newel Caps

Full	Oak	SRA0035 UK F

Newel Posts

Full	Oak	SRA0030 UK F

Spindles

Round	Rake	SRA0036 UK F
Round	Landing	SRA0037 UK F
Vea	Rake	SRA0038 UK F
Vea	Landing	SRA0039 UK F

Iron



Spindles

Round	Landing	SRA0053
Round	Rake	SRA0057
Looped	Landing	SPN0271 UK
Looped	Rake	SPN0270 UK
Hybrid Double	Landing	SRA0080
Hybrid Double	Rake	SRA0081
History	Landing	SRA0082
History	Rake	SRA0083

Glass



Panels*


Glass	Rake Panel (Pack 4)	SRA0069
Glass	Landing Panel (Pack 4)	SRA0068
Glass	Landing Return (Single)	SRA0070

Matching hand and base rails available

Find them in the Trade Book or ask you local depot for more information

Staircases, Winder Boxes and Cladding

Offering greater flexibility in staircase configuration, our winder boxes are available in a left or right turn, as a flat-packed kit that includes a pine newel base. Designed to work with 855mm stair flights to reach ceiling heights of up to 3.2m.



Create over 14 different configurations

Scan to view a selection of possible stair configurations the winder boxes can create.

1 Staircase



855mm Engineered Staircase	STA0012 UK F
915mm Engineered Staircase	STA0013 UK F

2 Stair Winder Box



Left-Handed Winder Box

Oak	STA0022 UK F
Pine	STA0017 UK F

Right-Handed Winder Box

Oak	STA0021 UK F
Pine	STA0016 UK F

3 Stair Cladding



Stair Cladding Tread with Reversible Riser STA0023 F

4 Tread Extension



Oak Veneered Tread Extension STA0025 F

Joinery

Transform a home with these joinery products that can be used for a variety of refurbishment jobs and new-build projects.

Loft Systems and Accessories

The Fakro Loft ladder and hatch is a fully assembled system with a 3-year warranty and the Kronobuild Loft boards come with a 2-year warranty.




Fakro LWK Komfort Loft Ladder and Hatch
2.8m LFT0001 **F**



Kronobuild Loft Boards Pack of 3
1220 x 300 x 18mm SDH0007 **F**

Door Linings, Casings and Frames

Our door casings, linings, and frames include softwood, primed and engineered hardwood designs. Pick up a Trade Book to see our full range.





Window Boards

Our window boards are moisture resistant and come in a choice of fully finished laminate or primed MDF, ready for finishing with paint.



Laminate	2.4m x 295mm	MOD0823 **UK F**	Primed	2.7m x 244mm	MOD0818 **UK F**
Laminate	2.4m x 350mm	MOD0824 **UK F**	Primed	2.7m x 295mm	MOD0814 **UK F**
Primed	2.7m x 219mm	MOD0817 **UK F**	Primed	3.66m x 345mm	MOD0819 **UK F**

Fire-safe and versatile

Kronobuild Loft Boards are easy to cut to size, and remain fire retardant.

Everything to complete the job

Scan to view our full range of joinery products




*Pair with Richard Burbidge Hand and Baserail in either Pine or Oak | **UK** = Manufactured in the UK | **F** = FSC®

Choosing The Right Flooring

Different flooring materials offer varying aesthetic qualities and practical benefits which make them more suitable for certain areas around the home, such as high-traffic rooms and water-prone spaces.

Types

Laminate



1 Top layer
Protects against wear and tear.


2 Decorative layer
Provides the look of wood or tiles.

3 Core
High-density fibreboard (HDF).

4 Backing layer
Improves stability.

From page 76

Luxury Rigid Vinyl



1 Top layer
Durable UV-cured layer for scratch, dirt, and daily wear resistance.

2 Decorative layer
Realistic look of wood or tiles.

3 Core
Fibreglass or limestone-based for strength and water resistance.

4 Backing layer
Reinforced backing or integrated underlay* for stability and comfort.

From page 80

Engineered Real Wood



1 Top layer
Made from solid oak with natural knots and grains making each plank individual.


2 Finished layer
Choice of natural lacquer and oil finishes.


3 Core
Layered construction offers stability and durability.


From page 90


Laying Patterns


Create a personalised look and an impactful feature in the home with a variety of laying patterns.



Staggered



Diagonal



Brick Lay


Diagonal Stone


Herringbone*1


90° Herringbone*1


Diagonal / Herringbone*1


Staggered / Herringbone*1

*Excluding Howdens Vinyl Flooring | *1 Herringbone laying patterns only suitable for Herringbone flooring ranges

Flooring Overview

Compare our different types of flooring to help you decide the most suitable option for your lifestyle, budget and space.

		Styles	Underfloor Heating Compatible*	100% Waterproof*1	Pre-attached Underlay	Residential Guarantee	Commercial Guarantee
Laminate	Howdens 8mm Herringbone Laminate	Herringbone	✓	✗	✗	20 Years	✗
	Howdens 8mm Laminate	Plank, Chevron	✓	✗	✗	20 Years	5 Years
	Howdens 12mm Laminate	Plank	✓	✗	✗	30 Years	5 Years
	Oake & Gray 8mm Aqua Water Resistant Laminate	Plank, Tile	✓	Water Resistant	✗	20/25 Years*2	10 Years
	Oake & Gray 12mm Aqua Water Resistant Laminate	Plank	✓	Water Resistant	✗	25 Years*2	10 Years
	Quick-Step Hydro Laminate	Plank	✓	✓	✗	25 Years*3	Available on Request
Rigid Vinyl	Howdens Professional Rigid Vinyl	Plank	✓	✓	✗	15 Years	5 Years
	Oake & Gray Luxury Rigid Vinyl	Plank, XL Plank, XXL Plank, Tiles	✓	✓	✓	30 Years	15 Years
	Oake & Gray Herringbone Luxury Rigid Vinyl	Herringbone XL Herringbone	✓	✓	✓	30 Years	15 Years
	Oake & Gray Heritage Oak Basket Weave Luxury Rigid Vinyl	Parquet	✓	✓	✓	30 Years	15 Years
	Quick-Step Rigid Vinyl With Underlay	Plank, Tiles	✓	✓	✓	25 Years	Available on Request
	Karndean Korlok Rigid Core Luxury Vinyl	Plank, Tiles, Herringbone	✓	✓	✓	35 Years	15 Years
Engineered Real Wood	Howdens Engineered Real Wood	Plank	✓	✗	✗	15-20 Years	✗
	Howdens Herringbone Engineered Real Wood	Herringbone	✓	✗	✗	30 Years	✗
	Oake & Gray Aqua Engineered Real Wood	Plank	✓	Water Resistant	✗	20 Years	✗
	Quick-Step Herringbone Engineered Real Wood	Herringbone	✓	✗	✗	30 Years	✗
	Quick-Step Hydro Engineered Real Wood	Plank	✓	✓	✗	30 Years	✗
	Kährs Engineered Real Wood	Plank	✓	✗	✗	20-30 Years	✗

*Refer to fitting instructions for details | *1 Perimeter of floor should be sealed with flexible sealant | *2 Oake & Gray 8mm Water Resistant Laminate comes with an additional 5 year water resistance guarantee when fitted with PE Foam SDH0089 and low modular sealant (SDH0088) used round the perimeter of the room. Only applies to residential applications of water resistant products in moderately wet areas, such as bathrooms, kitchens and entrances, with the exclusion of any commercial applications | *3 Activate an additional 10 year wet area manufacturer's warranty when fitted with PE Foam (SDH0089) and Quick-Step Hydrokit sealant (SDH0088) used round the perimeter of the room

Choosing The Right Underlay

It is important to use the right underlay with flooring, for sound and thermal insulation.

Identify The Subfloor*4	
Concrete and Screeds	Timber*5

Select The Underlay	
Laminate and Engineered*6	
Foam Underlay **SDH0900** XPS High Performance Underlay **SDH0909** MULTIPROTEC 1000 3in1 Underlay **SDH0923** 4 in 1 Underlay **SDH0915** Roberts Polystyrene Foam Underlay **SDH0913**	Foam Underlay **SDH0900** XPS High Performance Underlay **SDH0909** MULTIPROTEC 1000 3in1 Underlay **SDH0923** Roberts Polystyrene Foam Underlay **SDH0913**
Luxury Rigid Vinyl	
Howdens Vinyl Underlay **SDH0929**	Howdens Vinyl Underlay **SDH0929**

Add Damp Proof Membrane Or Moisture Barrier If Required	
Damp Proof Membrane **SDH0910** Paintable Damp Proof Membrane **SDH0931**	Bitumen Moisture Barrier Paper **SDH0932**



*4 Subfloor must be even and flat, refer to fitting instructions | *5 Not suitable to be used with existing parquet or granwood flooring | *6 Engineered Herringbone and Laminate Herringbone only compatible with SDH0923

Laminate Flooring

Laminate flooring is low-maintenance and easy to clean, making it a practical choice for busy households on a budget.

Underfloor heating compatible*

Fast Fit

Easy to maintain

Suitable for: Living areas, kitchens and conservatories

Howdens Natural Oak 8mm Herringbone Laminate Planks

Howdens 8mm Herringbone Laminate Planks

Establish an eye-catching finish with our timeless herringbone design, available in budget-friendly laminate.

25 YEARS HOWDENS FLOORING RESIDENTIAL GUARANTEE

PEFC PEFC/16-37-398



Natural Oak | SDH3748

Plank Size: 630mm x 126mm x 8mm • **Pack Size:** 0.87m²



Light Blond Oak **SDH3745** P



Mid Grey Oak **SDH3746** P



Brown Oak **SDH3747** P



Natural Oak **SDH3748** P

Howdens 8mm Chevron Laminate Planks

Create an on-trend look with our budget-friendly laminate in chevron designs.

20 YEARS HOWDENS FLOORING RESIDENTIAL GUARANTEE

5 YEARS HOWDENS FLOORING HOUSECOMMERCIAL WARRANTY

PEFC PEFC/16-37-398



Light Oak | SDH3613

Plank Size: 1292mm x 327mm x 8mm • **Pack Size:** 2.53m²



Light Oak **SDH3613** P



Oak **SDH3614** P

Howdens 8mm Laminate Planks

Budget-friendly flooring in a choice of timber-effects.

UK MANUFACTURED · 20 YEARS RESIDENTIAL GUARANTEE · 5 YEARS COMMERCIAL GUARANTEE



Oak | SDH3609

Plank Size: 1285mm x 192mm x 8mm • **Pack Size:** 2.22m²


Light Oak **SDH3607** **UK** **F**


Light Grey Oak **SDH3578** **UK** **F**


Powder White Oak **SDH3593** **UK** **F**


Oak **SDH3609** **UK** **F**


Grey Oak **SDH3591** **UK** **F**


Tawny Chestnut **SDH3583** **UK** **F**


Steel Oak **SDH3669** **UK** **F**


Chestnut Oak **SDH3581** **UK** **F**

Howdens 12mm Laminate Planks

A hard-wearing surface that is easy to clean and maintain, making it ideal for busy homes.

UK MANUFACTURED · 30 YEARS RESIDENTIAL GUARANTEE · 5 YEARS COMMERCIAL GUARANTEE



Almond Oak | SDH3825

Plank Size*1: 1285mm x 192mm x 12mm • **Pack Size*1:** 1.48m²


Almond Oak **SDH3825** **UK** **F**


Contemporary Oak **SDH3824** **UK** **F**


Pastel Grey **SDH3657** **UK** **F**


Boston Oak **SDH3656** **UK** **F**


Loft Oak **SDH3618** **UK** **F**


Rustic Oak **SDH3617** **UK** **F**


Dark Grey Oak **SDH3616** **UK** **F**

*Underfloor heating must be embedded in screed and not exceed 27°C | *1 SDH3825 and SDH3824 plank size is 1288 x 195 x 12mm and pack size is 1.51m² | *2 Subfloor must be even and flat, refer to fitting instructions | *3 Not suitable to be used with existing parquet or granwood flooring | *4 Laminate Herringbone only compatible with SDH0923 | **UK** = Manufactured in the UK | **F** = FSC® | **P** = PEFC

Available From Local Stock, Nationwide

OAKE & GRAY

BEAUTIFUL FLOORING IN A SINGLE CLICK

UNICLIC, QUICK FITTING, NO GLUE REQUIRED*

WATER REPELLENT COATING**

SUITABLE FOR BATHROOMS AND CONSERVATORIES

V-GROOVE WITH PAINTED BEVEL

SUITABLE FOR UNDERFLOOR HEATING

Oake & Gray 8mm Aqua Water Resistant Laminate Planks

Fit out any room in the home, including bathrooms, kitchens and utilities, with a choice of water-resistant laminate designs.

DOMESTIC 25 YEARS WARRANTY

WET 5 YEARS WARRANTY

PEFC PEFC/16-37-398



Dark Oak | SDH3558

Plank Size: 1261mm x 192mm x 8mm • **Pack Size:** 2.179m²



Light Oak **SDH3556** P



Greige Oak **SDH3555** P



Traditional Oak **SDH3557** P



Dark Oak **SDH3558** P

Oake & Gray 12mm Aqua Water Resistant Laminate Planks

This laminate provides a heavier-duty solution for areas of the home that are typically exposed to water and moisture.

DOMESTIC 25 YEARS WARRANTY

WET 5 YEARS WARRANTY

PEFC PEFC/16-37-398



Maize Oak | SDH3820

Plank Size: 1261mm x 192mm x 12mm • **Pack Size:** 1.453m²



Light Cashew Oak **SDH3821** P



Maize Oak **SDH3820** P



Truffled Oak **SDH3822** P



Auburn Oak **SDH3823** P

NEW Oake & Gray 8mm Aqua Water Resistant Laminate Tiles

Fit out any room in the home, including bathrooms, kitchens and utilities, with a choice of water-resistant laminate tile designs.

DOMESTIC 20 YEARS WARRANTY · WET 5 YEARS WARRANTY



Tile Size: 1292mm x 327mm x 8mm
Pack Size: 2.535m²



Satin Stone **SDH3812** P



Volcanic Stone **SDH3813** P

QUICK·STEP® FLOOR DESIGNERS

WATERPROOF PLANKS & TILES · NATURAL LOOK & FEEL LAMINATE · SUPERIOR REFINED DESIGN LAMINATE · SCRATCH & STAIN RESISTANT

Quick-Step Hydro Laminate Planks

Replicate the look of solid timber with a waterproof product. A choice of oak-effect styles complements a variety of aesthetics from traditional to contemporary.

HOWDENS FLOORING 30 YEARS RESIDENTIAL GUARANTEE

PEFC PEFC/16-37-398

Suitable for: Living areas, kitchens, conservatories and bathrooms*1





Plank Size: 1380mm x 190mm x 8mm • **Pack Size:** 1.83m²



Macadamia Oak **SDH2892** P



Light Oak **SDH2420** P



Oak **SDH2402** P



Dark Grey **SDH2404** P

*Refer to fitting instructions | ** 12 hour standing water resistance, please refer to installation instructions | *1 Perimeter of floor should be sealed using Quick-Step Hydro seal kit | P = PEFC

Rigid Vinyl Flooring

A vinyl floor covering is a durable and practical choice, often used in busy or wet areas of the home.

100% waterproof*

Underfloor heating compatible*1

Fast fitting

Suitable for: Living areas, kitchens, conservatories and bathrooms*

Oake & Grey Luxury Rigid Vinyl Rustic Oak

Howdens Professional Rigid Vinyl Planks

Create a premium aesthetic with a grained appearance and oak-effect finish of rigid vinyl. This waterproof flooring can be used to create the look of natural materials around the home.



Light Oak | SDH3708



Grey Oak | SDH3707

Plank Size: 1235mm x 178mm x 4mm • **Pack Size:** 2.42m²



Light Oak **SDH3708**



Grey Oak **SDH3707**



Oak **SDH3706**

The Right Underlay

Arbiton Secura LVT Vinyl Underlay
SDH0929

Speak to your local depot for more info

OAKE & GRAY

BEAUTIFUL FLOORING IN A SINGLE CLICK

100% WATERPROOF*
INTEGRATED UNDERLAY
CAN BE USED OVER EXISTING HARD FLOORING*2
TEXTURED SURFACE
DENT, SCUFF AND STAIN RESISTANT
QUICK CLICK, NO GLUE REQUIRED*2
SUITABLE FOR BATHROOMS AND CONSERVATORIES
SUITABLE FOR UNDERFLOOR HEATING*1
V-GROOVE WITH PAINTED BEVEL

Oake & Gray Luxury Rigid Vinyl Planks

Choose a rigid vinyl to bring organic accents to a space and provide a durable and easy-care floor. Designed to replicate timber planks, there are a choice of shades to suit any space.

DOMESTIC 30 YEARS WARRANTY
COMMERCIAL 15 YEARS WARRANTY


Light Ash I SDH3801



Timeless Oak I SDH3690


Plank Size: 1235mm x 178mm x 5mm • **Pack Size:** 2.2m²


Silver Grey **SDH3697**


Light Oak **SDH3696**


Rustic Oak*3 **SDH3701**


Matching Herringbone **Page 84**
Timeless Oak **SDH3690**


Matching Herringbone **Page 84**
Pearl Grey Oak **SDH3691**


Feather Grey Oak **SDH3692**


Light Ash*3 **SDH3801**

* Perimeter of floor should be sealed with flexible sealant I *1 Underfloor heating must be embedded in screed and not exceed 27°C I *2 Refer to fitting instructions I *3 Plank size is 1235 x 192x 5mm and pack size is 1.9m²

Available From Local Stock, Nationwide

Oake & Gray Luxury Rigid Vinyl XL and XXL Planks

Choose from a range of wood-effect designs in extra large planks, to create impact and replicate the appearance of real oak boards.

DOMESTIC 30 YEARS WARRANTY

COMMERCIAL 15 YEARS WARRANTY




Golden Oak XL Planks | SDH3853



Warm Oak XXL Planks | SDH3758

XL Plank Size: 1532mm x 225mm x 6mm • **Pack Size:** 2.07m²



Matching Herringbone **Page 86**

Vanilla Oak **SDH3852**



Harbour Grey **SDH3851**



Golden Oak **SDH3853**


Did you know?

All XXL planks have an ultra matt surface texture, which creates a more realistic wood effect finish.

XXL Plank Size: 1842mm x 230mm x 7.5mm • **Pack Size:** 1.7m²




Invisible Oak **SDH3854**




Matching Herringbone **Page 85**

Espresso Oak **SDH3855**



Matching Herringbone **Page 85**

Warm Oak **SDH3758**



Matching Herringbone **Page 85**

Forest Oak **SDH3856**

Oake & Gray Luxury Rigid Vinyl Tiles and Large Format Tiles

Create the look of a tiled floor that is hard-wearing, easy to maintain and warmer underfoot. Pre-grooved to provide the look of grout lines for grout-free installation.

DOMESTIC 30 YEARS WARRANTY

COMMERCIAL 15 YEARS WARRANTY

V-GROOVE WITH PRE-GROUT BEVEL



Dove Grey Tile | SDH3703



Sandstone Marble Large Format Tile | SDH3803


Tile Size: 600mm x 300mm x 5mm • **Pack Size:** 2.34m²



Ivory **SDH3705**



Dove Grey **SDH3703**



Graphite **SDH3704**

OAKE & GRAY

BEAUTIFUL FLOORING IN A SINGLE CLICK

View the full collection

Large Format Tile Size: 810mm x 405mm x 5.5mmm • **Pack Size:** 2.62m²




White Marble **SDH3716**



Light Terrazzo **SDH3717**

Sandstone Marble **SDH3803**



Grey Terrazzo **SDH3718**

Available From Local Stock, Nationwide

Oake & Gray Herringbone Luxury Rigid Vinyl

Choose from a variety of timber-effect finishes that can be laid in a choice of herringbone patterns for an eye-catching and durable floor.



Vanilla Oak | SDH3743



Pearl Grey Oak | SDH3741

Herringbone Plank Size: 615mm x 123mm x 5mm • **Pack Size:** 1.97m²


Matching planks **Page 82**
Vanilla Oak **SDH3743**


Nature Oak **SDH3744**



Matching planks **Page 81**
Timeless Oak **SDH3740**


Matching planks **Page 81**
Pearl Grey Oak **SDH3741**

Herringbone Installation Options

Herringbone Traditional


Classic laying pattern for Herringbone, favoured for its elegant, timeless look.



Double Traditional*


A subtle variation on the traditional style, ideal for large open areas.

*Glue needed on short joints when fitting in this format



Diagonal Herringbone

A slight twist on the classic Herringbone that helps to add depth to any room.




Oake & Gray XL Herringbone Luxury Rigid Vinyl Planks

These wider planks are designed to be laid in a herringbone style for a bold and impactful design that is hard-wearing and low-maintenance.

Herringbone Plank Size: 710mm x 142mm x 5mm • **Pack Size:** 2.62m²




Espresso Oak XL Planks | SDH3855
Espresso Oak XL Herringbone Planks | SDH3756




Matching planks **Page 82**

Espresso Oak **SDH3756**



Matching planks **Page 82**

Warm Oak **SDH3757**



Matching planks **Page 82**

Forest Oak **SDH3755**

Oake & Gray Basket Weave Luxury Rigid Vinyl Planks

Create the look of a parquet floor in a basket weave pattern with our new luxury rigid vinyl design that is hard-wearing and easy to maintain.

Plank Size: 600mm x 600mm x 6mm • **Pack Size:** 1.8m²



Heritage Oak | SDH3800



Heritage Oak **SDH3800**

Complementary Accessories



Heritage Oak Profile
SDH0288

QUICK·STEP®
FLOOR DESIGNERS

WATERPROOF PLANKS & TILES · NATURAL LOOK & FEEL VINYL · UNDERLAY ATTACHED UNICLIC · SOFT & SILENT COMFORT

Quick-Step Rigid Vinyl With Underlay

Complete your space with a choice of wood or stone-effect rigid vinyl planks or tiles that have a pre-attached underlay for easier fit and better sound and thermal insulation.

HOWDENS FLOORING 25 YEARS RESIDENTIAL GUARANTEE

Suitable for: Living areas, kitchens, conservatories and bathrooms*



Grey Cotton Oak | SDH2452



Barley White Oak | SDH2450



Honey Oak | SDH2406


Amber Oak | SDH2407


Canyon Grey | SDH2462

Plank Size: 1251mm x 189mm x 5mm • **Pack Size:** 2.128m²


Beige Oak **SDH2473**


Grey Cotton Oak **SDH2452**


Barley White Oak **SDH2450**


Harvest Oak **SDH2451**


Chestnut **SDH2471**


Dovetail Grey **SDH2453**


Dark Grey Oak **SDH2470**

Plank Size: 1494mm x 209mm x 6mm • **Pack Size:** 1.87m²


Storm Grey Oak **SDH2408**


Honey Oak **SDH2406**


Amber Oak **SDH2407**

Tile Size: 628mm x 320mm x 5mm • **Pack Size:** 1.848m²

Moonstone **SDH2461**


Concrete **SDH2460**


Canyon Grey **SDH2462**

*Perimeter of floor should be sealed with flexible sealant

Karndean Designflooring

Waterproof

35 year residential/ 15 year commercial warranty

Pre-attached acoustic underlay

Click-locking mechanism

Korlok Rigid Core Luxury Vinyl Planks, Herringbone Planks and Tiles

With the appearance of natural timber, this flooring can be used throughout the home. They have scratch, stain, and moisture-resistant properties, a click-fit system, and the pre-attached underlay provides 21dB of sound reduction.

Suitable for: Living areas, kitchens and bathrooms*



Texas White Ash | SDH1202
Texas White Ash Herringbone | SDH1210



Canadian Nude Oak | SDH1205



Bianco Breccia Stone | SDH1276








Plank Size: 1420mm x 225mm x 6.5mm • **Pack Size:** 3.195m² **Herringbone Plank Size:** 708mm x 177mm x 6.5mm • **Pack Size:** 3.00m²


Texas White Ash **SDH1202**




Texas White Ash **SDH1210**


Baltic Coastal Oak **SDH1208**



Baltic Limed Oak **SDH1203**


Canadian Nude Oak **SDH1205**




Canadian Nude Oak **SDH1270** **NEW**


Canadian Urban Oak **SDH1204**




Canadian Urban Oak **SDH1211**


Braemar Oak **SDH1273** **NEW**



Braemar Oak **SDH1271** **NEW**


Golden Ash **SDH1274** **NEW**



Golden Ash **SDH1272** **NEW**

Tile Size: 457mm x 600mm x 6.5mm • **Pack Size:** 2.742m²



Bianco Breccia Stone **SDH1276** **NEW**



Tortora Breccia Stone **SDH1275** **NEW**



Coastal Fog **SDH1223**

*In potential wet areas where it is necessary to protect the expansion gap between fixed furniture and the flooring product from potential water exposure, a flexible acrylic or flexible low modulus neutral cure silicone sealant may be used. Sealant should not be used for the general filling of expansion gaps.

Engineered Flooring

Highly durable and ideal for high-traffic areas of the home, a real wood veneer provides natural warmth and character.

Underfloor heating compatible*
Real Wood Veneer
Fast fitting
Easy to maintain

Suitable for: Living areas, kitchens and conservatories

Howdens Engineered Oak Planks

Howdens Engineered Wood

Layers of compressed timber create a dense board for a hard-wearing floor. The wood veneer surface provides a warm and characterful appearance with a choice of finishes and laying styles offering a luxurious appearance.



Herringbone Oak | SDH3242



Oiled Oak | SDH3629



Light White Oak **SDH3638** P
Plank Size: 2200mm x 180mm x 11mm **Pack Size:** 2.38m²



Oiled Oak **SDH3629** F
Plank Size: 2200mm x 180mm x 14mm **Pack Size:** 2.77m²



Oak **SDH3630** P
Plank Size: 2200mm x 180mm x 11mm **Pack Size:** 2.38m²



Oak **SDH3220** F
Plank Size: 2200mm x 207mm x 14mm **Pack Size:** 3.18m²



Rustic Oak*¹ **SDH3628** F
Plank Size: 2200mm x 130mm x 14mm **Pack Size:** 2m²




Natural Oak **SDH3242** F
Plank Size: 725mm x 130mm x 14mm **Pack Size:** 0.65m²

The Right Underlay

MULTIPROTEC 1000
3in1 Underlay
SDH0923

Speak to your local depot for more info



OAKE & GRAY

BEAUTIFUL FLOORING IN A SINGLE CLICK

WATER REPELLENT COATING*2 | REAL WOOD VENEER | DENT AND SCUFF RESISTANT | UNIFITX™ QUICK FITTING, NO GLUE REQUIRED*3 | SUITABLE FOR CONSERVATORIES | SUITABLE FOR UNDERFLOOR HEATING* | V-GROOVE WITH PAINTED BEVEL

Oake & Gray Aqua Engineered Wood Planks

Designed to be hard-wearing and water-resistant, these densely constructed boards are suitable for creating a high-end and natural look in a variety of areas around the home including water-prone rooms such as kitchens.

DOMESTIC 20 YEARS WARRANTY | WET 5 YEARS WARRANTY | PEFC PEFC/16-37-398



Crescent Oak | SDH3761



Ashwood Oak | SDH3760

Plank Size: 2050 x 233 x 10mm • **Pack Size:** 2.388m²



Ashwood Oak **SDH3760** P



Crescent Oak **SDH3761** P



Cottage Oak **SDH3762** P



Woodland Oak **SDH3763** P

*Please refer to fitting instructions for Engineered underfloor heating | *1 This product is rustic grade and will have fill knots and cracks. Natural knots are filled to ensure a smooth finish | *2 12 hour standing water resistance. Perimeter of floor should be sealed with flexible sealant | *3 Refer to fitting instructions | **F** = FSC® | **P** = PEFC

Available From Local Stock, Nationwide

QUICK·STEP®
FLOOR DESIGNERS

AUTHENTIC BEAUTY · WOOD FOR LIFE FLOORS · EASY TO INSTALL UNICLIC (MULTIFIT)

Suitable for: Living areas, kitchens and conservatories

Quick-Step Herringbone Engineered Wood

Featuring a real wood veneer, engineered flooring is constructed of layers of compressed timber for enhanced durability, while providing the visual and tactile qualities of the authentic woodgrain.

HOWDENS FLOORING 30 YEARS RESIDENTIAL GUARANTEE

PEFC
PEFC/16-37-398


Pearl Mist Oak | SDH2893


Light Wheat Oak | SDH2894


Caramel Oak | SDH2895

Plank Size: 580mm x 145mm x 13.5mm • **Pack Size:** 1.009m²


Pearl Mist Oak **SDH2893** P


Light Wheat Oak **SDH2894** P


Caramel Oak **SDH2895** P

The Right Underlay

MULTIPROTEC 1000
3in1 Underlay
SDH0923

Speak to your local depot for more info

Quick-Step Hydro Engineered Wood Planks

Combining the durability of the three-layer compressed timber construction with aqua-block technology that makes it waterproof, this flooring is hard-wearing and practical while providing an authentic timber appearance.

PEFC/16-37-398

Suitable for: Living areas, kitchens, conservatories and bathrooms*



Quick-Step Natural Oak Hydro Engineered Wood Planks



Light Oak I SDH2480



Brown Oak I SDH2482

Plank Size: 2200mm x 190mm x 13mm • **Pack Size:** 2.508m²



Light Oak **SDH2480 P**



Natural Oak **SDH2481 P**



Brown Oak **SDH2482 P**

*Perimeter of floor should be sealed with flexible sealant | **P** = PEFC

Complete The Job

Hydro Kit Sealant **SDH0088**
Hydro Kit Foam **SDH0089**

Speak to your local depot for more info

Available From Local Stock, Nationwide

Kährs®

Engineered Real Wood Planks

Transform a home or office with these wood flooring solutions. Offering a blend of durability and elegance, they enhance the aesthetic appeal of a space and provide long-lasting value. With the 5G click system, installing a Kährs floor is quick and easy.

Suitable for: Living areas, kitchens and conservatories

Real Wood

Suitable for Underfloor Heating

Made in Sweden

FSC


Nouveau White | SDH3251



Nouveau Smoked | SDH3254




Oak Cornwall | SDH3252



Oak Nouveau Acorn | SDH3253



Flint
Plank Size: 2423mm x 200mm x 13mm
Pack Size: 3.4m²
SDH3250F




Nouveau White
Plank Size: 2266mm x 187mm x 15mm
Pack Size: 2.54m²
SDH3251F



Oak Cornwall
Plank Size: 2000mm x 187mm x 15mm
Pack Size: 2.24m²
SDH3252 F



Oak Nouveau Acorn
Plank Size: 2000mm x 187mm x 15mm
Pack Size: 2.24m²
SDH3253 F



Nouveau Smoked
Plank Size: 2000mm x 187mm x 15mm
Pack Size: 2.24m²
SDH3254 F

Trusted Trade Quality

Guarantees and Warranties

Manufacturers Guarantees

Many of our products are covered by individual guarantees that mean we will promptly replace, without charge, a product that suffers a fault due to a defect in manufacturing or raw materials. Products are guaranteed for the period of time, and where applicable, under the conditions specified in the icon featured in the product listing.

Mechanical Guarantees

For products covered by a mechanical guarantee, a free replacement will be provided for any mechanical faults arising from defects in materials or design, for the specified period of time, valid from the date of purchase.

Branded Product Guarantees

Branded product guarantees are subject to registration with the manufacturer and their terms and conditions. Please speak to your local depot if you require any support.

For full details, and terms and conditions of individual guarantees and warranties, search **'Guarantees and Accreditations' at Howdens.com**

Assurance

We Won't Be Beaten On Price

Applies to like for like door products only.

Terms, conditions and exclusions apply, see:
Howdens.com/promotion
To see our pricing policy, please visit **howdens.com/help-and-advice/buying-from-us/our-pricing**

Top Rated Products

Our Top Rated products have received a minimum of a 4.8-star average rating from at least 50 trade reviews, demonstrating a seal of approval from the trade. Products highlighted are correct at time of printing.

Building Regulations

The following sets out the regulations that apply to selected joinery products. Door ranges that include products conforming to these regulations are marked with the relevant icon on the product pages in our brochure.

Part E - Sound Reducing (E)
Doors which conform to Building Regulation Part E and that are correctly fitted with batwing seals and drop seal, help to minimise sound travel, providing a peaceful environment.

Part M - Mobility and Access (M)
For access and facilities for disabled people, wider doors and reduced threshold heights are required by Building Regulation Part M (selected sizes only).

Made In The UK

UK MANUFACTURED

Our design and manufacturing are based in the UK, and many of our products are made in our own factories. This means we can develop and make products that meet your expectations on quality, price, and availability.

All our manufacturing sites hold the British Standard (BS) ISO 9001:2015 Quality Management System accreditation. This demonstrates our ability to consistently provide products that meet customer and applicable statutory and regulatory obligations, and aims to enhance customer satisfaction.

Our manufacturing, warehousing, and transport operations are certified to ISO45001:2018 International Occupational Health and Safety Standards.

The above logo or **UK** indicates that the products illustrated are manufactured and assembled in the UK.

Sustainability

Sustainability is central to our business, and sustainable behaviours are adopted throughout. From material and product sourcing to manufacturing, transport, infrastructure, and waste management. All with the intention to become the UK's most sustainable kitchen and joinery supplier.

The SBTi has approved our near-term, science-based emissions reduction target. We have set and approved long-term emissions reduction targets with the SBTi in line with reaching net-zero by 2050.

We work closely with our suppliers to ensure that the items we purchase come from responsibly managed sources and are produced in a socially responsible way. Howdens are certified to operate the Forest Stewardship Council ® (FSC®) and the Programme for the Endorsement of Forest Certification (PEFC) Chain of Custody certificates, which apply to a number of products as indicated by the relevant logos in our brochure.

Find out more about this and other initiatives by searching **'Sustainability' at Howdens.com**

P = Programme for the Endorsement of Forest Certification
The Programme for the Endorsement of Forest Certification (PEFC) is a framework for the recognition of forest certification schemes, meeting internationally recognised requirements for sustainable forest management.

F = Forest Stewardship Council®
The Forest Stewardship Council (FSC®) is an international network designed to promote responsible management of the world's forests.

The mark of responsible forestry

For more information on our standards and accreditations, please visit **howdens.com/help-and-advice/aftersales/guarantees-and-accreditations**

Useful Information

Door Sizes - millimetres to feet and inches	
1981mm x 381mm	6' 6" x 1' 3"
1981mm x 457mm	6' 6" x 1' 6"
1981mm x 533mm	6' 6" x 1' 9"
1981mm x 610mm	6' 6" x 2' 0"
1981mm x 686mm	6' 6" x 2' 3"
1981mm x 711mm	6' 6" x 2' 4"
1981mm x 762mm	6' 6" x 2' 6"
1981mm x 838mm	6' 6" x 2' 9"
1981mm x 864mm	6' 6" x 2' 10"
2032mm x 813mm	6' 8" x 2' 8"
2134mm x 914mm	7' 0" x 3' 0"
2439mm x 1219mm	8' 0" x 4' 0"

Lock Blocks

Lock blocks are located centrally on one side of the door only. Their location is indicated by the word 'LOCK' printed on the top edge of the door, and/or a hole in the bottom edge of the door on the side the block is on.

Standard Door Style	Maximum Trim (mm)		
	Top	Bottom	Side*1
Internal Unfinished and Pre-Finished Oak Doors	4	4	4
Internal Unfinished and Pre-Finished Dordogne Oak	10	10	10
Internal Laminate Doors	6	6	6
Internal Primed Doors	5	5	5
Lennox	6	6	6
Harlem	3	3	3
Solid Oak L&B*2	Unlimited	Unlimited	Unlimited
Blyton Oak	3	3	3
Internal Unfinished and Pre-Finished Moulded Doors	6	6	6
Internal Moulded Bi-Fold Doors	0	0	0
Internal Flush Doors (Lipped)	6	6	10*3
Internal Flush Doors (Unlipped)	6	6	6
External Hardwood Doors	12	12	5
External Softwood Doors	5	5	5

Fire Door Style	Maximum Trim (mm)		
	Top	Bottom	Side*1
Flush & Moulded FD30	0	6	4
Moulded 35mm FD30	0	6	4
Flush 35mm FD30	0	6	4
Spey Extra Trim	0	40	40
4 Panel Shaker, 1 Panel Shaker, Rockingham, Worcester, Daytona	0	6	4
Pre-Finished Dordogne Oak & 4 Panel Shaker, 1 Panel Shaker, Dordogne, Worcester and Elmbridge Primed FD30	0	6	4
Pre-Finished Holdenby Oak, Pre-Finished Daytona Oak, Primed Daytona and Primed Holdenby FD30	5	5	5
Laminate FD30	5	5	5
Holdenby & Dordogne Oak FD30	3*4	4	4
Blyton Oak FD30	0	3	3
Pre-Finished Dordogne Oak Glazed FD30	0	2	2
Solid Core Blank FD30	0	Unlimited	Unlimited
Solid Core Blank FD60	0	Unlimited	Unlimited
Dunsfold Plywood FD30/FD60	0	3	3

*1 Dimension shows trim from one long edge and can be doubled to show maximum reduction in width permitted e.g. Dordogne can be reduced in width by a total of 20mm as long as no more than 10mm is removed from each side | *2 Trimming on this door is unrestricted as long as construction integrity is not compromised | *3 10mm trim is permitted but would expose the timber stiles if trimmed by this amount | *4 To accommodate out of square frames only providing fire door label remains intact


Moulded Doors


Colonial 6 Panel Grained
Page 16

Colonial 6 Panel Grained Glazed
Page 16


Dordogne Smooth
Page 5


Dordogne Smooth Glazed
Page 5


Dordogne Smooth Frosted Glazed
Page 5


Dordogne Grained
Page 5


Dordogne Grained Glazed
Page 16


Thruxton 4 Panel Grained
Page 17


Pre-Finished 4 Panel Shaker Smooth Glazed
Page 36


Welby
Page 12


Kennington 4 Panel
Page 21

Flush Doors


Spey Ply Lipped
Page 46


Spey Ply 16G Glazed
Page 46



Spey Ply FD30 20G 44mm
Page 46


Spey Plywood G/O Glazed FD30
Page 46


Primed Spey
Page 47


Primed 4 Panel Shaker Frosted Glazed
Page 37


Primed Barn
Page 13


Primed Dordogne
Page 6


Primed Dordogne Glazed
Page 6


Primed Kingscroft
Page 25


Primed Kingscroft Glazed
Page 25


Primed 1930s
Page 26

Primed 1930 Glazed
Page 26



Primed Boswell Ribbed
Page 27


Worcester Oak
Page 29


Worcester Oak Glazed
Page 29


Rockingham 4 Panel Oak
Page 23


Rockingham 4 Panel Oak Glazed
Page 23


Dordogne Oak
Page 7



Dordogne Oak Glazed
Page 7


Westgate Oak
Page 24


Westgate Oak Glazed
Page 24


Oak 1930s
Page 26


Pre-Finished Fairfax Black
Page 41


Pre-Finished Fairfax Black Clear Glazed
Page 41

Laminate Doors


Pre-Finished Holdenby Grey Laminate
Page 10


Pre-Finished Daytona Grey Laminate
Page 34


Pre-Finished Daytona Grey Laminate Glazed
Page 34


Pre-Finished Daytona Walnut Laminate
Page 34

Pre-Finished Daytona Walnut Laminate Glazed
Page 34

External Doors

Fire door options available | *Real wood veneers have natural variation in grain and colour, making each piece unique. This means that colour variations in the final product are to be expected. This includes pre-finished doors that are finished with a clear lacquer.



Thruxton 4 Panel Grained Frosted Glazed
Page 17



Thruxton 4 Panel Grained Glazed
Page 17



Donnington 4 Panel Smooth
Page 18



Donnington 4 Panel Smooth Glazed
Page 18




Linear Smooth
Page 31




Linear Smooth Glazed
Page 31



4 Panel Shaker Smooth
Page 36



4 Panel Shaker Smooth Glazed
Page 36



Burford 4 Panel
Page 19

Primed Doors



Primed Spey 20G Glazed
Page 47



Hensall Soft Oak
Page 48



Hensall Soft Oak Glazed FD30
Page 48



Pre-Finished Buckmore Light Grey Oak Foil FD30
Page 48



Pre-Finished Buckmore Light Grey Oak Foil 20G Glazed FD30
Page 48



Pre-Finished Llandow Oak Foil
Page 49



Llandow Oak Foil 16G Glazed FD30
Page 49



Llandow Oak Foil 16G Glazed
Page 49




1 Panel Shaker Primed
Page 28



1 Panel Shaker Primed Glazed
Page 28



Primed Elmbridge
Page 22



Primed Elmbridge Glazed
Page 22

Hardwood Doors



Somerford
Page 11



Holdenby Oak
Page 9



Holdenby Oak Glazed
Page 9



Genoa Oak Glazed
Page 9



Oak 1930s Glazed
Page 26



Solid Rustic Oak Ledged
Page 14



Pre-Finished Holdenby Grey Oak
Page 10



Pre-Finished Grey Holdenby Oak Glazed
Page 10



Pre-Finished Holdenby Oak
Page 10



Pre-Finished Holdenby Oak Glazed
Page 10



Pre-Finished Genoa Oak Glazed
Page 10



Pre-Finished Daytona Oak
Page 33



Pre-Finished Daytona Oak Glazed
Page 33



Dunsfold Plywood
Page 49



Dunsfold Plywood G/O Glazed
Page 49



Solid Core Blank Lightweight
Page 49



Ledged and Braced
Page 54



Framed Ledged and Braced
Page 54



Hemlock Glazed
Page 54

Regent
Page 54

Mondello H2XG Glazed
Page 54

Mondello H2XG Frosted Glazed
Page 54

Burford 4 Panel 2 Light Glazed
Page 19



Bridgemere 4 Panel Smooth
Page 20

Bridgemere 4 Panel Smooth
Page 20



Pre-Finished Dordogne Smooth
Page 6



Pre-Finished Dordogne Smooth Glazed
Page 6



Pre-Finished Linear Smooth
Page 31



Pre-Finished Linear Smooth Glazed
Page 31



Pre-Finished 4 Panel Shaker Smooth
Page 36




Primed Holdenby
Page 8

Primed Holdenby Glazed
Page 8



Primed Daytona
Page 32



Primed Daytona Glazed
Page 32



Primed Hartley
Page 39



Primed Hartley Glazed
Page 39



Primed 4 Panel Shaker
Page 37



Primed 4 Panel Shaker Glazed
Page 37



Daytona Oak
Page 32



Daytona Oak Glazed
Page 32



Nuovo
Page 35



Nuovo Glazed
Page 35



4 Panel Shaker Oak
Page 38



4 Panel Shaker Oak Glazed
Page 38



1 Panel Oak Shaker
Page 28



1 Panel Shaker Oak Glazed
Page 28



Pre-Finished Dordogne Oak
Page 7



Pre-Finished Dordogne Oak Glazed
Page 7



Pre-Finished Barn Oak
Page 13



Pre-Finished 4 Panel Shaker Oak
Page 38




Pre-Finished 4 Panel Shaker Oak Glazed
Page 38



Lennox Black
Page 40



Lennox Black Glazed
Page 40



Lennox Black Reeded Glazed
Page 40



Richmond Frosted Glazed
Page 55



Bosworth Glazed
Page 55




Dordogne Oak
Page 55



Dordogne Oak Frosted Glazed
Page 55

View our full doors collection online

Scan to view at **Howdens.com**



Primed For Colour

NEW Boswell Ribbed Door

- ✓ Designed exclusively by Howdens
- ✓ Primed ready to finish in any colour
- ✓ Complements Primed 1 Panel Shaker glazed doors

YOUR DEPOT STOCK AND PRICES, ONLINE



CLICK & COLLECT

Terms and Conditions: Howdens registered trade account holders only. Online account required. UK, Isle of Man, Jersey & Guernsey residents and depots only. Excludes Republic of Ireland. 18+. Pay by card or trade account. Collect from depot within 48 hours of notification. Subject to availability. Exclusions apply. Online orders are subject to our Supplemental Online Terms of Sale and Terms and Conditions of Trading (available in your online account).









HOWDENS

Howdens.com

June 2026 Issue (XBR8534)
Product information correct at the time of publication in June 2026. The company has a policy of continuous product development and reserves the right to change any products and specifications given in this brochure. Subject to the Terms and Conditions of Trading, a copy of the Howdens Terms and Conditions is available upon request. Photography is for illustration purposes only, some products may differ from those shown. The colours in this brochure are as accurate as printing processes allow. Natural wood products may vary slightly in tone.

Copyright © 2026 Howden Joinery Ltd. All rights reserved.
Howden Joinery Ltd, Third Floor, 105 Wigmore Street, London, W1U 1QY
Registered in England 526923

recycle
When you have finished with this brochure please recycle it.

FSC www.fsc.org
MIX
Paper | Supporting responsible forestry
FSC® C007810

This brochure is made of material from well-managed, FSC®-certified forests and other controlled sources.